# **Product Datasheet**

# PAX8 Antibody (PAX8/1491 + PAX8/1492) [DyLight 755] NBP3-08274IR

Unit Size: 100 ul

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08274IR

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-08274IR



# **NBP3-08274IR**

PAX8 Antibody (PAX8/1491 + PAX8/1492) [DyLight 755]

| PAX8 Antibody (PAX8/1491 + PAX8/1492) [DyLight 755] |  |
|---|--|
| Product Information                                 |  |
| Unit Size   | 100 ul   |
| Concentration                                       | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage   | Store at 4C in the dark.   |
| Clonality   | Monoclonal   |
| Clone   | PAX8/1491 + PAX8/1492  |
| Preservative  | 0.05% Sodium Azide   |
| Isotype   | IgG2a Kappa/IgG2b Kappa  |
| Conjugate   | DyLight 755  |
| Purity  | Protein A or G purified  |
| Buffer  | 50mM Sodium Borate   |
| Product Description                                 |  |
| Host  | Mouse  |
| Gene ID   | 7849   |
| Gene Symbol   | PAX8   |
| Species   | Human  |
| Marker  | Renal Cell Marker  |
| Specificity/Sensitivity                             | Recognizes a protein of 62kDa, identified as PAX8. It is a member of the paired box (PAX) family of transcription factors. This nuclear protein is involved in thyroid follicular cell development and expression of thyroid-specific genes. Mutations in this gene have been associated with thyroid dysgenesis, thyroid follicular carcinomas, and atypical thyroid adenomas. PAX-8 is expressed in the thyroid (and associated carcinomas), non-ciliated mucosal cells of the fallopian tubes, and simple ovarian inclusion cysts, but not normal ovarian surface epithelial cells. PAX-8 is expressed in a high percentage of ovarian serous, endometrioid, and clear cell carcinomas, but only rarely in primary ovarian mucinous adenocarcinomas. PAX-8 expression is reported in renal tubules as well as renal cell carcinoma, nephroblastoma, and seminoma. PAX-8 antibody may be used as an additional immunohistochemical marker for renal epithelial tumors. |
| Immunogen   | Recombinant human PAX8 protein (Uniprot: Q06710)   |
| Notes   | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.  |
| Product Application Details                         |  |
| Applications  | Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin  |
| Recommended Dilutions                               | Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin  |
| Application Notes                                   | Optimal dilution of this antibody should be experimentally determined.   |
|   |  |





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# **Products Related to NBP3-08274IR**

NBP2-51907-0.05mg Recombinant Human PAX8 His Protein 288-TPN-025/CF Thrombopoietin/THPO [Unconjugated]

NBL1-14132 PAX8 Overexpression Lysate
AF482 Ret Antibody [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08274IR

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

