# **Product Datasheet**

# Integrin beta 3/CD61 Antibody (ITGB3/2166R) [Alexa Fluor® 350] NBP3-08291AF350

Unit Size: 100 ul

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08291AF350

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-08291AF350



# NBP3-08291AF350

Integrin beta 3/CD61 Antibody (ITGB3/2166R) [Alexa Fluor® 350]

Product Information	Integrin beta 3/CD01 Antibody (TGB3/2100K) [Alexa Fidol® 330]	
Concentration  Please see the vial label for concentration. If unlisted please contact technical services.  Storage  Store at 4C in the dark.  Clonality  Monoclonal  Clone  ITGB3/2166R  Preservative  0.05% Sodium Azide  Isotype  IgG  Conjugate  Alexa Fluor 350  Purity  Protein A or G purified  Buffer  50mM Sodium Borate  Product Description  Host  Rabbit  Gene ID  3690  Gene Symbol  ITGB3  Species  Human  Marker  Platelet Marker  Specificity/Sensitivity  Reacts with human integrin beta3 (GPIIIa, vitronectin receptor beta chain). It associates with the IIb-chain (CD41) to form the GpIIb/GpIIIa complex (CD41/CD61). The CD41/CD61 complex is a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The activated CD41/cD61 for metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen  Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Product Information	
Storage Store at 4C in the dark.  Clonality Monoclonal  Clone ITGB3/2166R  Preservative 0.05% Sodium Azide  Isotype IgG  Conjugate Alexa Fluor 350  Purity Protein A or G purified  Buffer 50mM Sodium Borate  Product Description  Host Rabbit  Gene ID 3690  Gene Symbol ITGB3  Species Human  Marker Platelet Marker  Specificity/Sensitivity Reacts with human integrin beta3 (GPIIIa, vitronectin receptor beta chain). It associates with the Ilb-chain (CD41) to form the GpIlb/GpIIIa complex (CD41/CD61). The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex is a receptor for von Wilebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Unit Size	100 ul
Clonality Monoclonal  Clone ITGB3/2166R  Preservative 0.05% Sodium Azide Isotype IgG  Conjugate Alexa Fluor 350  Purity Protein A or G purified  Buffer 50mM Sodium Borate  Product Description  Host Rabbit Gene ID 3690  Gene Symbol ITGB3  Species Human  Marker Platelet Marker  Specificity/Sensitivity Reacts with human integrin beta3 (GPIlla, vitronectin receptor beta chain). It associates with the Ilb-chain (CD41) to form the Gpllb/Gpllla complex (CD41/CD61). The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex is a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Concentration	'
Clone ITGB3/2166R  Preservative 0.05% Sodium Azide  Isotype IgG  Conjugate Alexa Fluor 350  Purity Protein A or G purified  Buffer 50mM Sodium Borate  Product Description  Host Rabbit  Gene ID 3690  Gene Symbol ITGB3  Species Human  Marker Platelet Marker  Specificity/Sensitivity Reacts with human integrin beta3 (GPIIIa, vitronectin receptor beta chain). It associates with the IIb-chain (CD41) to form the GpIIb/GpIIla complex (CD41/CD61). The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex is a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukernia.  Immunogen Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Storage	Store at 4C in the dark.
Preservative 0.05% Sodium Azide  Isotype IgG  Conjugate Alexa Fluor 350  Purity Protein A or G purified  Buffer 50mM Sodium Borate  Product Description  Host Rabbit  Gene ID 3690  Gene Symbol ITGB3  Species Human  Marker Platelet Marker  Specificity/Sensitivity Reacts with human integrin beta3 (GPIIIa, vitronectin receptor beta chain). It associates with the Ilb-chain (CD41) to form the GpIlb/GpIIIa complex (CD41/CD61). The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex is a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Clonality	Monoclonal
Isotype IgG Conjugate Alexa Fluor 350 Purity Protein A or G purified Buffer 50mM Sodium Borate  Product Description Host Rabbit Gene ID 3690 Gene Symbol ITGB3 Species Human Marker Platelet Marker  Specificity/Sensitivity Reacts with human integrin beta3 (GPIlla, vitronectin receptor beta chain). It associates with the Ilb-chain (CD41) to form the GpIlb/GpIlla complex (CD41/CD61).The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex is a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Clone	ITGB3/2166R
Conjugate Alexa Fluor 350  Purity Protein A or G purified  Buffer 50mM Sodium Borate  Product Description  Host Rabbit Rabbit  Gene ID 3690  Gene Symbol ITGB3  Species Human  Marker Platelet Marker  Specificity/Sensitivity Reacts with human integrin beta3 (GPIIIa, vitronectin receptor beta chain). It associates with the IIb-chain (CD41) to form the GpIIb/GpIIIa complex (CD41/CD61). The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex is a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Preservative	0.05% Sodium Azide
Purity Protein A or G purified  Buffer 50mM Sodium Borate  Product Description  Host Rabbit  Gene ID 3690  Gene Symbol ITGB3  Species Human  Marker Platelet Marker  Specificity/Sensitivity Reacts with human integrin beta3 (GPIIIa, vitronectin receptor beta chain). It associates with the Ilb-chain (CD41) to form the GpIlb/GpIIIa complex (CD41/CD61). The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex is a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Isotype	IgG
Product Description  Host Rabbit  Gene ID 3690  Gene Symbol ITGB3  Species Human  Marker Platelet Marker  Specificity/Sensitivity Reacts with human integrin beta3 (GPIlla, vitronectin receptor beta chain). It associates with the Ilb-chain (CD41) to form the GpIlb/GpIlla complex (CD41/CD61).The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in turnor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Conjugate	Alexa Fluor 350
Product Description  Host Rabbit  Gene ID 3690  Gene Symbol ITGB3  Species Human  Marker Platelet Marker  Specificity/Sensitivity Reacts with human integrin beta3 (GPIIIa, vitronectin receptor beta chain). It associates with the Ilb-chain (CD41) to form the GpIlb/GpIIIa complex (CD41/CD61).The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex is a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Purity	Protein A or G purified
Host Rabbit  Gene ID 3690  Gene Symbol ITGB3  Species Human  Marker Platelet Marker  Specificity/Sensitivity Reacts with human integrin beta3 (GPIIIa, vitronectin receptor beta chain). It associates with the Ilb-chain (CD41) to form the GpIIb/GpIIIa complex (CD41/CD61).The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex appears early in megakaryocyte in tumor metastasis and adenoviral infection. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Buffer	50mM Sodium Borate
Gene Symbol  Gene Symbol  ITGB3  Species  Human  Platelet Marker  Specificity/Sensitivity  Reacts with human integrin beta3 (GPIIIa, vitronectin receptor beta chain). It associates with the IIb-chain (CD41) to form the GpIIb/GpIIIa complex (CD41/CD61). The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex is a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen  Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Product Description	
Gene Symbol  Species  Human  Marker  Platelet Marker  Specificity/Sensitivity  Reacts with human integrin beta3 (GPIIIa, vitronectin receptor beta chain). It associates with the IIb-chain (CD41) to form the GpIIb/GpIIIa complex (CD41/CD61). The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex is a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen  Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Host	Rabbit
Species  Human  Marker  Platelet Marker  Reacts with human integrin beta3 (GPIIIa, vitronectin receptor beta chain). It associates with the IIb-chain (CD41) to form the GpIIb/GpIIIa complex (CD41/CD61). The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex is a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen  Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Gene ID	3690
Marker  Specificity/Sensitivity  Reacts with human integrin beta3 (GPIIIa, vitronectin receptor beta chain). It associates with the IIb-chain (CD41) to form the GpIIb/GpIIIa complex (CD41/CD61). The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex is a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen  Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Gene Symbol	ITGB3
Reacts with human integrin beta3 (GPIIIa, vitronectin receptor beta chain). It associates with the IIb-chain (CD41) to form the GpIIb/GpIIIa complex (CD41/CD61). The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex is a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen  Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Species	Human
associates with the IIb-chain (CD41) to form the GpIIb/GpIIIa complex (CD41/CD61). The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex is a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.  Immunogen  Recombinant human Integrin beta 3/CD61 protein fragment (aa 385-490) (exact	Marker	Platelet Marker
	Specificity/Sensitivity	associates with the Ilb-chain (CD41) to form the GpIlb/GpIlla complex (CD41/CD61). The CD41/CD61 complex appears early in megakaryocyte maturation. The activated CD41/CD61 complex is a receptor for von Willebrand factor, soluble fibrinogen, fibronectin, vitronectin and thrombospondin. It plays a central role in platelet activation and aggregation. The CD51/CD61 is implicated in tumor metastasis and adenoviral infection. The antibody detects platelets in smears of blood and bone marrow, as well as megakaryocytes in frozen sections and cell smears. The antibody is useful for classification of megakaryoblastic leukemia.
	Immunogen	



#### Notes

Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.

<b>Product Application Details</b>	
Applications	Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry-Paraffin
Application Notes	Optimal dilution of this antibody should be experimentally determined.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP3-08291AF350**

NBP2-24891AF350 Rabbit IgG Isotype Control [Alexa Fluor® 350]

NBP1-83453PEP Integrin beta 3/CD61 Recombinant Protein Antigen

210-TA-005 TNF-alpha [Unconjugated]

NBL1-12073 Integrin beta 3/CD61 Overexpression Lysate

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08291AF350

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

