# **Product Datasheet**

# Pax5/BSAP Antibody (PAX5/3977R) [Alexa Fluor® 647] NBP3-08310AF647

Unit Size: 100 ul

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08310AF647

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-08310AF647



# NBP3-08310AF647

Pax5/BSAP Antibody (PAX5/3977R) [Alexa Fluor® 647]

Driving Size   100 ul   Please see the vial label for concentration. If unlisted please contact technical services.   Storage   Store at 4C in the dark.	Fax5/BSAF Altibody (FAX5/3917K) [Alexa Fidol® 047]	
Concentration  Please see the vial label for concentration. If unlisted please contact technical services.  Storage  Store at 4C in the dark.  Clonality  Monoclonal  Clone  PAX5/3977R  Preservative  0.05% Sodium Azide  Isotype  IgG  Conjugate  Alexa Fluor 647  Purity  Protein A or G purified  Buffer  50mM Sodium Borate  Product Description  Host  Rabbit  Gene ID  5079  Gene Symbol  PAX5  Species  Human, Canine  Marker  Specificity/Sensitivity  The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX)family of transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box. The PAX proteins are important regulators in early development, and alterations in the expression of their genes are thought to contribute toneoplastic transformation. The PAX5 gene encodes theB-celllineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis; therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.	Product Information	
Storage Store at 4C in the dark.  Clonality Monoclonal  Clone PAX5/3977R  Preservative 0.05% Sodium Azide  Isotype IgG  Conjugate Alexa Fluor 647  Purity Protein A or G purified  Buffer 50mM Sodium Borate  Product Description  Host Rabbit  Gene ID 5079  Gene Symbol PAX5  Species Human, Canine  Marker Early B-Cell Marker  Specificity/Sensitivity  The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX)family of transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box. The PAX5 gene is early development, and alterations in the expression of their genes are thought to contribute toneoplastic transformation. The PAX5 gene encodes theB-celllineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation, but also in neural development and spermatogenesis.  Immunogen  A recombinant fragment (around aa 235-382) of human PAX5 protein (exact	Unit Size	100 ul
Clone PAX5/3977R  Preservative 0.05% Sodium Azide  Isotype IgG  Conjugate Alexa Fluor 647  Purity Protein A or G purified  Buffer 50mM Sodium Borate  Product Description  Host Rabbit  Gene ID 5079  Gene Symbol PAX5  Species Human, Canine  Marker Early B-Cell Marker  Specificity/Sensitivity The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX5) arily for transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box (Pay Pax5 gene encodes theB-celllineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis; therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.  Immunogen	Concentration	·
Clone PAX5/3977R  Preservative 0.05% Sodium Azide  Isotype IgG  Conjugate Alexa Fluor 647  Purity Protein A or G purified  Buffer 50mM Sodium Borate  Product Description  Host Rabbit  Gene ID 5079  Gene Symbol PAX5  Species Human, Canine  Marker Early B-Cell Marker  Specificity/Sensitivity The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX)family of transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box. The PAX proteins are important regulators in early development, and alterations in the expression of their genes are thought to contribute toneoplastic transformation. The PAX5 gene encodes theB-cell lineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis; therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.  Immunogen A recombinant fragment (around aa 235-382) of human PAX5 protein (exact	Storage	Store at 4C in the dark.
Preservative    Sodium Azide	Clonality	Monoclonal
Isotype IgG Conjugate Alexa Fluor 647 Purity Protein A or G purified Buffer 50mM Sodium Borate  Product Description Host Rabbit Gene ID 5079 Gene Symbol PAX5 Species Human, Canine Marker Early B-Cell Marker  Specificity/Sensitivity The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX)family of transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box. The PAX proteins are important regulators in early development, and alterations in the expression of their genes are thought to contribute toneoplastic transformation. The PAX5 gene encodes theB-celllineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis; therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.  Immunogen A recombinant fragment (around aa 235-382) of human PAX5 protein (exact	Clone	PAX5/3977R
Conjugate  Alexa Fluor 647  Purity  Protein A or G purified  Buffer  50mM Sodium Borate  Product Description  Host  Rabbit  Gene ID  5079  Gene Symbol  PAX5  Species  Human, Canine  Marker  Early B-Cell Marker  Specificity/Sensitivity  The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX)family of transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box. The PAX proteins are important regulators in early development, and alterations in the expression of their genes are thought to contribute toneoplastic transformation. The PAX5 gene encodes theB-celllineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis; therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.  Immunogen  A recombinant fragment (around aa 235-382) of human PAX5 protein (exact	Preservative	0.05% Sodium Azide
Purity Protein A or G purified  Buffer 50mM Sodium Borate  Product Description  Host Rabbit Gene ID 5079 Gene Symbol PAX5  Species Human, Canine  Marker Early B-Cell Marker  Specificity/Sensitivity The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX)family of transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box. The PAX proteins are important regulators in early development, and alterations in the expression of their genes are thought to contribute toneoplastic transformation. The PAX5 gene encodes theB-celllineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis; therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.  Immunogen A recombinant fragment (around aa 235-382) of human PAX5 protein (exact	Isotype	IgG
Product Description	Conjugate	Alexa Fluor 647
Product Description  Host Rabbit  Gene ID 5079  Gene Symbol PAX5  Species Human, Canine  Marker Early B-Cell Marker  Specificity/Sensitivity The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX)family of transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box. The PAX proteins are important regulators in early development, and alterations in the expression of their genes are thought to contribute toneoplastic transformation. The PAX5 gene encodes theB-celllineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis; therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.  Immunogen A recombinant fragment (around aa 235-382) of human PAX5 protein (exact	Purity	Protein A or G purified
Host Gene ID 5079  Gene Symbol PAX5  Species Human, Canine  Marker Early B-Cell Marker  Specificity/Sensitivity The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX)family of transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box. The PAX proteins are important regulators in early development, and alterations in the expression of their genes are thought to contribute toneoplastic transformation. The PAX5 gene encodes theB-celllineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis; therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.  Immunogen  A recombinant fragment (around aa 235-382) of human PAX5 protein (exact	Buffer	50mM Sodium Borate
Gene Symbol PAX5  Species Human, Canine  Marker Early B-Cell Marker The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX)family of transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box. The PAX proteins are important regulators in early development, and alterations in the expression of their genes are thought to contribute toneoplastic transformation. The PAX5 gene encodes theB-celllineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis; therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.  Immunogen  A recombinant fragment (around aa 235-382) of human PAX5 protein (exact	Product Description	
Gene Symbol  PAX5  Species  Human, Canine  Early B-Cell Marker  Specificity/Sensitivity  The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX)family of transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box. The PAX proteins are important regulators in early development, and alterations in the expression of their genes are thought to contribute toneoplastic transformation. The PAX5 gene encodes theB-celllineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis; therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.  Immunogen  A recombinant fragment (around aa 235-382) of human PAX5 protein (exact	Host	Rabbit
Species  Human, Canine  Early B-Cell Marker  The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX)family of transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box. The PAX proteins are important regulators in early development, and alterations in the expression of their genes are thought to contribute toneoplastic transformation. The PAX5 gene encodes theB-celllineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis; therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.  Immunogen  A recombinant fragment (around aa 235-382) of human PAX5 protein (exact	Gene ID	5079
Marker  Specificity/Sensitivity  The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX)family of transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box. The PAX proteins are important regulators in early development, and alterations in the expression of their genes are thought to contribute toneoplastic transformation. The PAX5 gene encodes theB-celllineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis; therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.  Immunogen  A recombinant fragment (around aa 235-382) of human PAX5 protein (exact	Gene Symbol	PAX5
Specificity/Sensitivity  The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX)family of transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box. The PAX proteins are important regulators in early development, and alterations in the expression of their genes are thought to contribute toneoplastic transformation. The PAX5 gene encodes theB-celllineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis; therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.  Immunogen  A recombinant fragment (around aa 235-382) of human PAX5 protein (exact	Species	Human, Canine
HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX)family of transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box. The PAX proteins are important regulators in early development, and alterations in the expression of their genes are thought to contribute toneoplastic transformation. The PAX5 gene encodes theB-celllineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis; therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.  Immunogen  A recombinant fragment (around aa 235-382) of human PAX5 protein (exact	Marker	Early B-Cell Marker
		HuProtTM Array, containing more than 21,000, full-length human proteins. The PAX5 gene is a member of the paired box (PAX)family of transcription factors. The central feature of this gene family is a novel, highly conservedDNA-binding domain, known as the paired box. The PAX proteins are important regulators in early development, and alterations in the expression of their genes are thought to contribute toneoplastic transformation. The PAX5 gene encodes theB-celllineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis; therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.
	Immunogen	



#### Notes

Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.

<b>Product Application Details</b>	
Applications	Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry-Paraffin
Application Notes	Optimal dilution of this antibody should be experimentally determined.





## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### Products Related to NBP3-08310AF647

NBP2-24891AF647 Rabbit IgG Isotype Control [Alexa Fluor® 647]

H00005079-Q01-10ug Recombinant Human Pax5/BSAP GST (N-Term) Protein

207-IL-005 IL-7 [Unconjugated]

H00005079-P01-2ug Recombinant Human Pax5/BSAP GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08310AF647

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

