Product Datasheet

Serum Amyloid A1/A2 Antibody (SAA/326) - Azide and BSA Free NBP3-08412

Unit Size: 100 ug

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08412

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP3-08412

NBP3-08412

Serum Amyloid A1/A2 Antibody (SAA/326) - Azide and BSA Free

Product Information Unit Size 100 ug Concentration 1 mg/ml Storage Store at -20 to -80C. Avoid freeze-thaw cycles. Clonality Monoclonal Clone SAA/326 Preservative No Preservative Isotype IgG2a Kappa Purity Protein A or G purified Buffer 10 mM PBS Target Molecular Weight 12 kDa Product Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07766). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Host Mouse Gene ID 6288 Gene Symbol SAA1 Species Human Specificity/Sensitivity This antibody reacts with natural and recombinant human Serum Amyloid A (GA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) tractor of plasma. SAA is a major acute-phase protein and precursor to anyloid A protein, which is the major constituent of the fibril deposits of reactive amyloid A protein matory tokines seread with a proteins or inflammatory diseases.	Serum Amylold A 1/AZ Antibody (SAA/320) - Azide and BSA Free		
Concentration 1 mg/ml Storage Store at -20 to -80C. Avoid freeze-thaw cycles. Clonality Monoclonal Clone SAA/326 Preservative No Preservative Isotype IgG2a Kappa Purity Protein A or G purified Buffer 10 mM PBS Target Molecular Weight 12 kDa Product Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07766). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Host Mouse Gene ID 6288 Gene Symbol SAA1 Species Human Species Human Species Human Species Human Species Human SAA proteins are group of apo-tipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major acoute-phase protein and precursor to anyloidosis. SAA is secreted in large amounts by the liver duing microbial infections or inflammatory diseases. Rimunogen Recombinant full-length human Serum Amyloid A. (SAA) and protein which is the major consituent of the high-density lipoprotein (HDL) fraction of plasma.	Product Information		
Storage Store at -20 to -80C. Avoid freeze-thaw cycles. Clonality Monoclonal Clone SAA/326 Preservative No Preservative Isotype IgG2a Kappa Purity Protein A or G purified Buffer 10 mM PBS Target Molecular Weight 12 kDa Product Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07766). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Host Mouse Gene ID 6288 Gene Symbol SAA1 Species Human Species Human SA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major acute-phase protein and precursor to amyloid A protein, which is the major constituent of the fibril deposits of reactive anyloid A protein, which is the major constituent of the fibril deposits of reactive anyloid A protein, which is the major constituent of the fibril deposits of reactive anyloid A protein, which is the major constituent of the fibril deposits of reactive anyloid A protein, since as an anora solute the liver during microbial infections or inflammatory diseases. Immunogen Recombinant full-length h	Unit Size	100 ug	
Clonality Monoclonal Clone SAA/326 Preservative No Preservative Isotype IgG2a Kappa Purity Protein A or G purified Buffer 10 mM PBS Target Molecular Weight 12 kDa Product Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07766). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Host Mouse Gene ID 6288 Gene Symbol SAA1 Species Human Specificity/Sensitivity This antibody reacts with natural and recombinant human Serum Amyloid A (SAA) and does not cross-react with other human cytokines or growth factors. KAA) and does not cross-react with other human. SAA is a major acute-phase protein and proteins or inflammatory diseases. Immunogen Recombinant full-length human Serum Amyloid A1/A2 (SAA) protein Product Application Details Immunohistochemistry-Paraffin Applications Immunohistochemistry-Paraffin 1-2 ug/ml Application Notes Immunohistochemistry-Paraffin 1-2 ug/ml	Concentration	1 mg/ml	
Clone SAA/326 Preservative No Preservative Isotype IgG2a Kappa Purity Protein A or G purified Buffer 10 mM PBS Target Molecular Weight 12 kDa Product Description Io mg/n of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07766). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Host Mouse Gene ID 6288 Gene Symbol SAA1 Species Human Specificity/Sensitivity This antibody reacts with natural and recombinant human Serum Amyloid A (SAA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major acute-phase protein and precursor to amyloid A protein, which is the major constituent of the fibril deposits of reactive amyloidosis. SAA is secreted in large amounts by the liver during microbial infections or inflammatory diseases. Immunogen Recombinant full-length human Serum Amyloid A1/A2 (SAA) protein Product Application Details Immunohistochemistry-Paraffin Applications Immunohistochemistry-Oraaffin 1-2 ug/ml <th>Storage</th> <th>Store at -20 to -80C. Avoid freeze-thaw cycles.</th>	Storage	Store at -20 to -80C. Avoid freeze-thaw cycles.	
Preservative No Preservative Isotype IgG2a Kappa Purity Protein A or G purified Buffer 10 mM PBS Target Molecular Weight 12 kDa Product Description I.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G, Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07766). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Host Mouse Gene ID 6288 Gene Symbol SAA1 Species Human Species Human Specificity/Sensitivity This antibody reacts with natural and recombinant human Serum Amyloid A (SAA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major acute-phase protein and precursor to amyloid A protein, which is the major constituent of the fibril deposits of reactive amyloidosis. SAA is secreted in large amounts by the liver during microbial infections or inflammatory diseases. Immunogen Recombinant full-length human Serum Amyloid A1/A2 (SAA) protein Product Application Details Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry Formalin-fixed: 1-2ug	Clonality	Monoclonal	
Isotype IgG2a Kappa Purity Protein A or G purified Buffer 10 mM PBS Target Molecular Weight 12 kDa Product Description Description Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07766). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Host Mouse Gene ID 6288 Gene Symbol SAA1 Species Human Specificity/Sensitivity This antibody reacts with natural and recombinant human Serum Amyloid A (SAA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major constituent of the fibril deposits of reactive amyloidAsis. SAA is secreted in large amounts by the liver during microbial infections or inflammatory diseases. Immunogen Recombinant full-length human Serum Amyloid A1/A2 (SAA) protein Product Application Details Immunohistochemistry-Paraffin Applications Immunohistochemistry-Paraffin 1-2 ug/ml Product Application Details Immunohistochemistry Forralin-fixed: 1-2ug/ml for 30 minutes at RT. Staining	Clone	SAA/326	
Purity Protein A or G purified Buffer 10 mM PBS Target Molecular Weight 12 kDa Product Description Immuno for antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10 mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07766). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Host Mouse Gene ID 6288 Gene Symbol SAA1 Species Human Specificity/Sensitivity This antibody reacts with natural and recombinant human Serum Amyloid A (SAA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major acute-phase protein and precursor to amyloid A protein, which is the major constituent of the bioril deposits of reactive amyloid As is secreted in large amounts by the liver during microbial infections or inflammatory diseases. Immunogen Recombinant full-length human Serum Amyloid A1/A2 (SAA) protein Product Application Details Immunohistochemistry-Paraffin 1-2 ug/ml Applications Immunohistochemistry-Paraffin 1-2 ug/ml for 30 minutes at RT. Staining of for dramin-fixed tissues is enhanced by locoling at RT for 20 minutes.	Preservative	No Preservative	
Buffer 10 mM PBS Target Molecular Weight 12 kDa Product Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07766). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Host Mouse Gene ID 6288 Gene Symbol SAA1 Species Human Specificity/Sensitivity This antibody reacts with natural and recombinant human Serum Amyloid A (SAA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) (fraction of plasma. SAA is a major acute-phase protein and precursor to amyloid A proteins. SAA is a major acute-phase protein and precursor to amyloid A proteins. SAA is a major acute-phase protein and precursor to inflammatory diseases. Immunogen Recombinant full-length human Serum Amyloid A1/A2 (SAA) protein Product Application Details Immunohistochemistry-Paraffin 1-2 ug/ml Applications Immunohistochemistry-Paraffin 1-2 ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes.	Isotype	IgG2a Kappa	
Target Molecular Weight 12 kDa Product Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07766). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Host Mouse Gene ID 6288 Gene Symbol SAA1 Species Human Specificity/Sensitivity This antibody reacts with natural and recombinant human Serum Amyloid A (SAA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major acute-phase protein and precursor to amyloid A protein, which is the major constituent of the fibril deposits of reactive amyloidosis. SAA is secreted in large amounts by the liver during microbial infections or inflammatory diseases. Immunogen Recombinant full-length human Serum Amyloid A1/A2 (SAA) protein Product Application Details Applications Immunohistochemistry-Paraffin 1-2 ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes.	Purity	Protein A or G purified	
Product Description Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07766). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Host Mouse Gene ID 6288 Gene Symbol SAA1 Species Human Specificity/Sensitivity This antibody reacts with natural and recombinant human Serum Amyloid A (SAA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major acute-phase protein and precursor to amyloid A protein, which is the major constituent of the fibril deposits of reactive amyloidosis. SAA is secreted in large amounts by the liver during microbial infections or inflammatory diseases. Immunogen Recombinant full-length human Serum Amyloid A1/A2 (SAA) protein Product Application Details Immunohistochemistry-Paraffin 1-2 ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes.	Buffer	10 mM PBS	
Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07766). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Host Mouse Gene ID 6288 Gene Symbol SAA1 Species Human Species Human Specificity/Sensitivity This antibody reacts with natural and recombinant human Serum Amyloid A (SAA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major acute-phase protein and precursor to amyloid A protein, which is the major constituent of the fibril deposits of reactive amyloidosis. SAA is secreted in large amounts by the liver during microbial infections or inflammatory diseases. Immunogen Recombinant full-length human Serum Amyloid A1/A2 (SAA) protein Product Application Details Immunohistochemistry-Paraffin 1-2 ug/ml Applications Immunohistochemistry-Paraffin 1-2 ug/ml Application Notes Immunohistochemistry Formalin-fixed: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed issue sis enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes.	Target Molecular Weight	12 kDa	
Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07766). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Host Mouse Gene ID 6288 Gene Symbol SAA1 Species Human Specificity/Sensitivity This antibody reacts with natural and recombinant human Serum Amyloid A (SAA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major acute-phase protein and precursor to amyloid A protein, which is the major constituent of the fibril deposits of reactive amyloidosis. SAA is secreted in large amounts by the liver during microbial infections or inflammatory diseases. Immunogen Recombinant full-length human Serum Amyloid A1/A2 (SAA) protein Product Application Details Immunohistochemistry-Paraffin 1-2 ug/ml Applications Immunohistochemistry Formalin-fixed: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes.	Product Description		
Host Mouse Gene ID 6288 Gene Symbol SAA1 Species Human Specificity/Sensitivity This antibody reacts with natural and recombinant human Serum Amyloid A (SAA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major acute-phase protein and precursor to amyloid A protein, which is the major constituent of the fibril deposits of reactive amyloidosis. SAA is secreted in large amounts by the liver during microbial infections or inflammatory diseases. Immunogen Recombinant full-length human Serum Amyloid A1/A2 (SAA) protein Product Application Details Immunohistochemistry-Paraffin Applications Immunohistochemistry-Paraffin 1-2 ug/ml Application Notes Immunohistochemistry Formalin-fixed: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes.	Description	Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07766). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to	
Gene ID 6288 Gene Symbol SAA1 Species Human Specificity/Sensitivity This antibody reacts with natural and recombinant human Serum Amyloid A (SAA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major acute-phase protein and precursor to amyloid A protein, which is the major constituent of the fibril deposits of reactive amyloidosis. SAA is secreted in large amounts by the liver during microbial infections or inflammatory diseases. Immunogen Recombinant full-length human Serum Amyloid A1/A2 (SAA) protein Product Application Details Immunohistochemistry-Paraffin Applications Immunohistochemistry-Paraffin 1-2 ug/ml Application Notes Immunohistochemistry Formalin-fixed: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes.	Host		
Gene Symbol SAA1 Species Human Specificity/Sensitivity This antibody reacts with natural and recombinant human Serum Amyloid A (SAA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major acute-phase protein and precursor to amyloid A protein, which is the major constituent of the fibril deposits of reactive amyloidosis. SAA is secreted in large amounts by the liver during microbial infections or inflammatory diseases. Immunogen Recombinant full-length human Serum Amyloid A1/A2 (SAA) protein Product Application Details Immunohistochemistry-Paraffin Applications Immunohistochemistry-Paraffin 1-2 ug/ml Application Notes Immunohistochemistry Formalin-fixed: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes.	Gene ID	6288	
Specificity/SensitivityThis antibody reacts with natural and recombinant human Serum Amyloid A (SAA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major acute-phase protein and precursor to amyloid A protein, which is the major constituent of the fibril deposits of reactive amyloidosis. SAA is secreted in large amounts by the liver during microbial infections or inflammatory diseases.ImmunogenRecombinant full-length human Serum Amyloid A1/A2 (SAA) proteinProduct Application DetailsImmunohistochemistry-ParaffinApplicationsImmunohistochemistry-Paraffin 1-2 ug/mlApplication NotesImmunohistochemistry Formalin-fixed: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes.	Gene Symbol	SAA1	
 (SAA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major acute-phase protein and precursor to amyloid A protein, which is the major constituent of the fibril deposits of reactive amyloidosis. SAA is secreted in large amounts by the liver during microbial infections or inflammatory diseases. Immunogen Recombinant full-length human Serum Amyloid A1/A2 (SAA) protein Product Application Details Applications Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry-Paraffin 1-2 ug/ml Application Notes Immunohistochemistry Formalin-fixed: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes. 	Species	Human	
Product Application Details Applications Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry-Paraffin 1-2 ug/ml Application Notes Immunohistochemistry Formalin-fixed: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes.	Specificity/Sensitivity	(SAA) and does not cross-react with other human cytokines or growth factors. Human SAA proteins are a group of apo-lipoproteins found predominantly in the high-density lipoprotein (HDL) fraction of plasma. SAA is a major acute-phase protein and precursor to amyloid A protein, which is the major constituent of the fibril deposits of reactive amyloidosis. SAA is secreted in large amounts by the	
ApplicationsImmunohistochemistry-ParaffinRecommended DilutionsImmunohistochemistry-Paraffin 1-2 ug/mlApplication NotesImmunohistochemistry Formalin-fixed: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes.	Immunogen	Recombinant full-length human Serum Amyloid A1/A2 (SAA) protein	
Recommended Dilutions Immunohistochemistry-Paraffin 1-2 ug/ml Application Notes Immunohistochemistry Formalin-fixed: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes.	Product Application Details		
Application NotesImmunohistochemistry Formalin-fixed: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes.	Applications	Immunohistochemistry-Paraffin	
formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes.	Recommended Dilutions	Immunohistochemistry-Paraffin 1-2 ug/ml	
	Application Notes	1mM EDTA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 minutes.	



Images

Immunohistochemistry-Paraffin: Serum Amyloid A1/A2 Antibody (SAA/326) - Azide and BSA Free [NBP3-08412] - Formalin-fixed, paraffin-embedded human Hepatocellular Carcinoma stained with Serum Amyloid A1/A2 Mouse Monoclonal Antibody (SAA/326).

Immunohistochemistry-Paraffin: Serum Amyloid A1/A2 Antibody (SAA/326) - Azide and BSA Free [NBP3-08412] - Formalin-fixed, paraffin-embedded human Hepatocellular Carcinoma stained with Serum Amyloid A1/A2 Mouse Monoclonal Antibody (SAA/326).







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-08412

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96981-0.5mg	Mouse IgG2a Kappa Isotype Control (M2AK)
210-TA-005	TNF-alpha [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08412

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

