Product Datasheet

Phospho-Tyrosine Antibody (PY2870R) [Janelia Fluor® 549] NBP3-08423JF549

Unit Size: 100 ul

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08423JF549

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.



Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-08423JF549

NBP3-08423JF549

Phospho-Tyrosine Antibody (PY2870R) [Janelia Fluor® 549]

Draduat	Information
Product	Information

Unit Size 100 ul Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone PY2870R Preservative 0.05% Sodium Azide Isotype IgG Conjugate Janelia Fluor 549 Purity Protein A or G purified Buffer SomM Sodium Borate Product Description Rabbit Species Non-species specific Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein rityrosine kinases or certain cellular protein substrates. Tyrosine-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proteins. This monoclonal antibody shows no cross-reaction with other phosphorylated proteins. The phosphorylated proteins containing proteins. This monoclonal antibody shows no cross-reaction with other phosphoranino acids and is superb for multiple applications including staining of formalin/paraffin tissues. Immunogen Recombinant full-length human Phospho-Tyrosine protein Notes	Product Information	
services.StorageStore at 4C in the dark.ClonalityMonoclonalClonalityMonoclonalClonePY2870RPreservative0.05% Sodium AzideIsotypeIgGConjugateJanelia Fluor 549PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitSpeciesNon-species specificSpeciesNon-species specificSpecificity/SensitivityProtein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tryosine residues is the result of activation or stimulation of their respective protein scription substrates. Tyrosine-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated kinases or certain cellular proteins containing proteins. This monoclonal antibody shows no cross-reaction with other phosphorylated kinases. The phosphorylate proteins centaining proteins. This monoclonal antibody shows no cross-reaction with other phosphorylated formalin/paraffin tissues.ImmunogenRecombinant full-length human Phospho-Tyrosine proteinNotesSold under license from the Howard Hughes Medical Institute, Janelia Research Campus.Product Application DetailsELISA	Unit Size	100 ul
ClonaltyMonoclonalClonePY2870RPreservative0.05% Sodium AzideIsotypeIgGConjugateJanelia Fluor 549PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitSpeciesNon-species specificSpecificity/SensitivityProtein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tryosine residues is the result of activation or stimulation of their respective protein syrosine existing shorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tryosine-phosphorylated proteins. This monoclonal antibody shows no cross-reaction with other phosphorylated in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphorylated is superb for multiple applications including staining of formalin/paraffin tissues.ImmunogenRecombinant full-length human Phospho-Tyrosine proteinNotesSold under license from the Howard Hughes Medical Institute, Janelia Research Campus.Product Application DetailsELISA	Concentration	
ClonePY2870RPreservative0.05% Sodium AzideIsotypeIgGConjugateJanelia Fluor 549PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitSpeciesNon-species specificSpeciesProtein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tryosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins. This monoclonal antibody shows no cross-reaction with other phosphorylation add is superb for multiple applications including staining of formalin/paraffin tissues.ImmunogenRecombinant full-length human Phospho-Tyrosine proteinNotesSold under license from the Howard Hughes Medical Institute, Janelia Research Campus.Product Application DetailsELISA	Storage	Store at 4C in the dark.
Preservative0.05% Sodium AzideIsotypeIgGConjugateJanelia Fluor 549PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitSpeciesNon-species specificSpecificity/SensitivityProtein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylate proteins can be auto-phosphorylated kinases or certain cellular processes. Phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphorylatifin tissues.ImmunogenRecombinant full-length human Phospho-Tyrosine proteinNotesSold under license from the Howard Hughes Medical Institute, Janelia Research Campus.Product Application DetailsELISA	Clonality	Monoclonal
IsotypeIgGConjugateJanelia Fluor 549PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitSpeciesNon-species specificSpecificity/SensitivityProtein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine ocretain cellular proteins can be auto-phosphorylated kinases or certain cellular proteins can be auto-phosphorylated kinases or in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphonamino acids and is superb for multiple applications including staining of formalin/paraffin tissues.ImmunogenRecombinant full-length human Phospho-Tyrosine proteinNotesSold under license from the Howard Hughes Medical Institute, Janelia Research Campus.Product Application DetailsELISA	Clone	PY2870R
ConjugateJanelia Fluor 549PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitSpeciesNon-species specificSpecificity/SensitivityProtein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing of formalin/paraffin tissues.ImmunogenRecombinant full-length human Phospho-Tyrosine proteinNotesSold under license from the Howard Hughes Medical Institute, Janelia Research campus.Product Application DetailsELISA	Preservative	0.05% Sodium Azide
Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Rabbit Host Rabbit Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphormino acids and is superb for multiple applications including staining of formalin/paraffin tissues. Immunogen Recombinant full-length human Phospho-Tyrosine protein Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Detaills ELISA	Isotype	IgG
Buffer 50mM Sodium Borate Product Description Rabbit Host Rabbit Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphoarmino acids and is superb for multiple applications including staining of formalin/paraffin tissues. Immunogen Recombinant full-length human Phospho-Tyrosine protein Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details ELISA	Conjugate	Janelia Fluor 549
Product Description Rabbit Host Rabbit Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphoarmino acids and is superb for multiple applications including staining of formalin/paraffin tissues. Immunogen Recombinant full-length human Phospho-Tyrosine protein Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details ELISA	Purity	Protein A or G purified
HostRabbitSpeciesNon-species specificSpecificity/SensitivityProtein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphoamino acids and is superb for multiple applications including staining of formalin/paraffin tissues.ImmunogenRecombinant full-length human Phospho-Tyrosine proteinNotesSold under license from the Howard Hughes Medical Institute, Janelia Research Campus.Product Application DetailsELISA	Buffer	50mM Sodium Borate
SpeciesNon-species specificSpecificity/SensitivityProtein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphoamino acids and is superb for multiple applications including staining of formalin/paraffin tissues.ImmunogenRecombinant full-length human Phospho-Tyrosine proteinNotesSold under license from the Howard Hughes Medical Institute, Janelia Research Campus.Product Application Details ApplicationsELISA	Product Description	
Specificity/SensitivityProtein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphoamino acids and is superb for multiple applications including staining of formalin/paraffin tissues.ImmunogenRecombinant full-length human Phospho-Tyrosine proteinNotesSold under license from the Howard Hughes Medical Institute, Janelia Research Campus.Product Application DetailsELISA	Host	Rabbit
number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphoamino acids and is superb for multiple applications including staining of formalin/paraffin tissues.ImmunogenRecombinant full-length human Phospho-Tyrosine proteinNotesSold under license from the Howard Hughes Medical Institute, Janelia Research Campus.Product Application DetailsELISA	Species	Non-species specific
Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details ELISA	Specificity/Sensitivity	number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphoamino acids and is superb
Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. Product Application Details Applications ELISA	Immunogen	Recombinant full-length human Phospho-Tyrosine protein
Applications ELISA	Notes	
•	Product Application Details	
	Applications	ELISA
Recommended Dilutions ELISA	Recommended Dilutions	ELISA
Application NotesOptimal dilution of this antibody should be experimentally determined.	Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-08423JF549

NBP2-24891JF549

Rabbit IgG Isotype Control [Janelia Fluor 549]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08423JF549

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

