## **Product Datasheet**

### Cytochrome c Antibody (rCYCS/1010) [DyLight 350] NBP3-08588UV

Unit Size: 100 ul

Store at 4C in the dark.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08588UV

Updated 10/26/2023 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-08588UV



#### NBP3-08588UV

Cytochrome c Antibody (rCYCS/1010) [DyLight 350]

| Cytochionie C Antibody (ICI CO/ |   |
|---------------------------------|---|
| Product Information             |   |
| Unit Size                       | 100 ul  |
| Concentration                   | Please see the vial label for concentration. If unlisted please contact technical services.   |
| Storage                         | Store at 4C in the dark.  |
| Clonality                       | Monoclonal  |
| Clone                           | rCYCS/1010  |
| Preservative                    | 0.05% Sodium Azide  |
| Isotype                         | IgG1 Kappa  |
| Conjugate                       | DyLight 350   |
| Purity                          | Protein A or G purified   |
| Buffer                          | 50mM Sodium Borate  |
| Product Description             |   |
| Host                            | Mouse   |
| Gene ID                         | 54205   |
| Gene Symbol                     | CYCS  |
| Species                         | Human, Mouse, Rat, Amphibian, Canine, Drosophila, Equine, Pigeon  |
| Reactivity Notes                | Frog  |
| Marker                          | Mitochondrial Marker  |
| Specificity/Sensitivity         | It recognizes an epitope within amino acids 93-104 of pigeon Cytochrome C, a well-characterized mobile electron transport protein that is essential to energy conversion in all aerobic organisms. In mammalian cells, this highly conserved protein is normally localized to the mitochondrial inter-membrane space. More recent studies have identified cytosolic cytochrome c as a factor necessary for activation of apoptosis. During apoptosis, cytochrome c is trans-located from the mitochondrial membrane to the cytosol, where it is required for activation of caspase-3 (CPP32). Overexpression of Bcl-2 has been shown to prevent the translocation of cytochrome c, thereby blocking the apoptotic process. Overexpression of Bax has been shown to induce the release of cytochrome c and to induce cell death. The release of cytochrome c from the mitochondria is thought to trigger an apoptotic cascade, whereby Apaf-1 binds to Apaf-3 (caspase-9) in a cytochrome c-dependent manner, leading to caspase-9 cleavage of caspase-3. This monoclonal antibody recognizes total cytochrome C which includes both apocytochrome (i.e. cytochrome in the cytosol without heme attached) and holocytochrome (i.e. cytochrome in the mitochondria with heme attached). |
| Immunogen                       | Synthetic peptides corresponding to amino acid 1-80, 81-104 and 66-104 of pigeon cytochrome c (Uniprot: P99999)   |
| Notes                           | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.   |
| Product Application Details     |   |
| Applications                    | Western Blot, Flow Cytometry, Immunohistochemistry-Paraffin   |
| <b>Recommended Dilutions</b>    | Western Blot, Flow Cytometry, Immunohistochemistry-Paraffin   |
| Application Notes               | Optimal dilution of this antibody should be experimentally determined.  |





#### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inguires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP3-08588UV

| NBP1-43319UV-0.5ml | Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 350] |
|--------------------|---|
| 210-TA-005         | TNF-alpha [Unconjugated]                                    |
| MCTC0              | Cytochrome c [HRP]  |
| AF835              | Caspase-3 Antibody [Unconjugated] - Active                  |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08588UV

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com



www.novusbio.com



technical@novusbio.com