# **Product Datasheet**

# TRACP/PAP/ACP5 Antibody (ACP5/2336R) [Janelia Fluor® 635] NBP3-08700JF635

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08700JF635

Updated 12/12/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP3-08700JF635

## NBP3-08700JF635

TRACP/PAP/ACP5 Antibody (ACP5/2336R) [Janelia Fluor® 635]

|                             | , [  |
|-----------------------------|--|
| Product Information         |  |
| Unit Size                   | 0.1 ml   |
| Concentration               | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                     | Store at 4C in the dark.   |
| Clonality                   | Monoclonal   |
| Clone                       | ACP5/2336R   |
| Preservative                | 0.05% Sodium Azide   |
| Isotype                     | IgG  |
| Conjugate                   | Janelia Fluor 635  |
| Purity                      | Protein A or G purified  |
| Buffer                      | 50mM Sodium Borate   |
| Product Description         |  |
| Host                        | Rabbit   |
| Gene ID                     | 54   |
| Gene Symbol                 | ACP5   |
| Species                     | Human, Mouse, Rat  |
| Marker                      | Hairy Cell Leukemia Marker   |
| Specificity/Sensitivity     | It recognizes a protein of 35kDa, which is identified as tartrate-resistant acid<br>phosphatase (TRAcP). It exists as two isoforms (5a and 5b). This monoclonal<br>antibody reacts with both the isoforms. Serum TRAcP 5a is secreted by<br>macrophages and dendritic cells and increased in many patients of rheumatoid<br>arthritis.Serum TRAcP 5b is produced from osteoclasts and elevated during<br>bone resorption. TRAcP is an iron containing glycoprotein, which catalyzes the<br>conversion of orthophosphoric monoester to alcohol and orthophosphate. It is<br>the most basic of the acid phosphatases and is the only form not inhibited by L<br>(+)-tartrate. TRAcP is synthesized as a latent proenzyme and is activated by<br>proteolytic cleavage and reduction. Normally, TRAcP is highly expressed by<br>osteoclasts, activated macrophages, neurons and endometrium during<br>pregnancy. Expression of TRAcP is increased in certain pathological conditions<br>such as Leukemic Reticuloendotheliosis (Hairy Cell Leukemia), Gauchers<br>Disease, HIV-induced Encephalopathy, Osteoclastoma and in osteoporosis and<br>metabolic bone diseases. Anti-TRAcP antibody labels the cells of Hairy Cell<br>Leukemia (HCL) with a high degree of sensitivity and specificity. Other cells<br>stained with this antibody are tissue macrophages and osteoclasts. |
| Immunogen                   | Recombinant full-length human TRACP/PAP/ACP5 protein (Uniprot: P13686)   |
| Notes                       | Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus.  |
| Product Application Details |  |
| Applications                | Immunohistochemistry-Paraffin  |
| Recommended Dilutions       | Immunohistochemistry-Paraffin  |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined.   |

www.novusbio.com





#### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08700JF635

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

