Product Datasheet

Cyclin A1 Antibody (XLA1-1) [DyLight 650] NBP3-08717C

Unit Size: 100 ul

Store at 4C in the dark.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08717C

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-08717C



NBP3-08717C

Cyclin A1 Antibody (XLA1-1) [DyLight 650]

| -)) ()) () | 3 1 |
|-----------------------------|--|
| Product Information | |
| Unit Size | 100 ul |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 4C in the dark. |
| Clonality | Monoclonal |
| Clone | XLA1-1 |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG1 Kappa |
| Conjugate | DyLight 650 |
| Purity | Protein A or G purified |
| Buffer | 50mM Sodium Borate |
| Product Description | |
| Host | Mouse |
| Gene ID | 8900 |
| Gene Symbol | CCNA1 |
| Species | Xenopus |
| Specificity/Sensitivity | The critical role that the family of regulatory proteins known as cyclins play in eukaryotic cell cycle regulation is well established. The best-characterized cyclin complex is the mitotic cyclin B/Cdc2 p34 kinase, the active component of maturing promoting factor. Cyclin A accumulates prior to cyclin B in the cell cycle, appears to be involved in control of S phase and has been shown to associate with cyclin-dependent kinase-2 (Cdk2). In addition, cyclin A has been implicated in cell transformation and is found in complexes with E1A, transcription factors DRTF1 and E2F, and retinoblastoma protein p110. A second form of cyclin A, named cyclin A1 because of its high sequence homology to Xenopus cyclin A1, is most highly expressed in germ cells. It has been proposed that cyclin A1 can associate with Cdk2, p39 and Cdc2 p34. The antibody detects Xenopus eggs. This monoclonal antibody only detects Xenopus Cyclin A1. |
| Immunogen | Recombinant full-length Xenopus laevis Cyclin A1 protein (Uniprot: P18606) |
| Notes | Dulight (D) is a tradomark of Therma Fisher Scientific Inc. and its subsidiaries |
| | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. |
| Product Application Details | |
| Applications | Western Blot |
| Recommended Dilutions | Western Blot |
| Application Notes | Optimal dilution of this antibody should be experimentally determined. |
| | |





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-08717C

| NBP1-43319C | Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 650] |
|--------------------|---|
| H00008900-P01-10ug | Recombinant Human Cyclin A1 GST (N-Term) Protein |
| NBL1-08863 | Cyclin A1 Overexpression Lysate |
| NB500-106 | PCNA Antibody (PC10) |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08717C

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

