Product Datasheet

GnRHR Antibody (GNRHR/2982R) [FITC] NBP3-08770F

Unit Size: 100 ul

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08770F

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-08770F



NBP3-08770F

GnRHR Antibody (GNRHR/2982R) [FITC]

| Product Information | | |
|-----------------------------|--|--|
| Unit Size | 100 ul | |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. | |
| Storage | Store at 4C in the dark. | |
| Clonality | Monoclonal | |
| Clone | GNRHR/2982R | |
| Preservative | 0.05% Sodium Azide | |
| Isotype | IgG | |
| Conjugate | FITC | |
| Purity | Protein A or G purified | |
| Buffer | PBS | |
| Product Description | | |
| Host | Rabbit | |
| Gene ID | 2798 | |
| Gene Symbol | GNRHR | |
| Species | Human | |
| Specificity/Sensitivity | Recognizes an epitope on the extracellular domain of gonadotropin releasing hormone (GnRH) receptor or luteinizing hormone receptor (LHCGR). Lutropin (also designated luteinizing hormone) plays a role in spermatogenesis and ovulation by stimulating the testes and ovaries to produce steroids. Gonadotropin (also designated choriogonadotropin) production in the placenta maintains estrogen and progesterone levels during the first trimester of pregnancy. Ovaries and testes abundantly express luteinizing hormone/choriogonadotropin receptor. GnRH receptor contains seven hydrophobic transmembrane domains connected by hydrophilic extracellular and intracellular loops characteristic of G-protein coupled receptors. GnRH stimulates the gonadotrophs of the anterior pituitary to secrete luteinizing hormone (LH) as well as follicle-stimulating hormone (FSH). GnRH influences the protective effect of pregnancy and Gonadotropin against breast cancer. The expression of GnRH on breast carcinoma correlates in part to the degree of tumor differentiation. GnRH-positive breast tumors occur more frequently in tumors with greater cell differentiation in premenopausal women. GnRH is present in luteal and granulosa cells as well as in ovarian cell membrane preparations. | |
| Immunogen | Recombinant full-length human GnRHR protein | |
| Product Application Details | | |
| Applications | ELISA | |
| Recommended Dilutions | ELISA | |
| Application Notes | Optimal dilution of this antibody should be experimentally determined. | |
| | | |





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-08770F

| NBP2-24892 | Rabbit IgG Isotype Control [FITC] |
|---------------|-----------------------------------|
| NBP2-55552PEP | GnRHR Recombinant Protein Antigen |
| NBL1-11192 | GnRHR Overexpression Lysate |
| NBP2-22203 | ERK1 Antibody (1E5) |
| | |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08770F

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

