Product Datasheet

Ornithine Decarboxylase Antibody (ODC1/2878R) - Azide and BSA Free NBP3-08791

Unit Size: 100 ug

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08791

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-08791



NBP3-08791

Ornithine Decarboxylase Antibody (ODC1/2878R) - Azide and BSA Free

ornamie Became Aylade Anabody (BBC 1/201011) Allade and BC/11100		
Product Information		
Unit Size	100 ug	
Concentration	1 mg/ml	
Storage	Store at -20 to -80C. Avoid freeze-thaw cycles.	
Clonality	Monoclonal	
Clone	ODC1/2878R	
Preservative	No Preservative	
Isotype	IgG	
Purity	Protein A or G purified	
Buffer	10 mM PBS	
Target Molecular Weight	53 kDa	


Product Description	
Description	1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07470). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.
Host	Rabbit
Gene ID	4953
Gene Symbol	ODC1
Species	Human, Mouse, Rat
Immunogen	Recombinant full-length human Ornithine Decarboxylase protein (Uniprot: P11926)

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1-2 ug/ml, Immunohistochemistry-Paraffin 0.25-0.5 ug/ml
Application Notes	Immunohistochemistry Formalin-fixed: 0.25-0.5ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.




Images

Western Blot: Ornithine Decarboxylase Antibody (ODC1/2878R) - Azide and BSA Free [NBP3-08791] - Western Blot Analysis of PC3 cell lysate using Ornithine Decarboxylase Rabbit Recombinant Monoclonal Antibody (Ornithine Decarboxylase/2878R).



Immunohistochemistry-Paraffin: Ornithine Decarboxylase Antibody (ODC1/2878R) - Azide and BSA Free [NBP3-08791] - Formalin-fixed, paraffin-embedded human Prostate stained with Ornithine Decarboxylase Rabbit Recombinant Monoclonal Antibody (Ornithine Decarboxylase/2878R).





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-08791

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-72494-50ug Recombinant Human Ornithine Decarboxylase His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08791

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

