## **Product Datasheet**

### Bcl-6 Antibody (BCL6/1718) [DyLight 550] NBP3-08865R

Unit Size: 100 ul

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08865R

Updated 10/26/2023 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-08865R



#### NBP3-08865R

Bcl-6 Antibody (BCL6/1718) [DyLight 550]

|                             | 2 1  |
|-----------------------------|--|
| Product Information         |  |
| Unit Size                   | 100 ul   |
| Concentration               | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                     | Store at 4C in the dark.   |
| Clonality                   | Monoclonal   |
| Clone                       | BCL6/1718  |
| Preservative                | 0.05% Sodium Azide   |
| Isotype                     | IgG1 Kappa   |
| Conjugate                   | DyLight 550  |
| Purity                      | Protein A or G purified  |
| Buffer                      | 50mM Sodium Borate   |
| Product Description         |  |
| Host                        | Mouse  |
| Gene ID                     | 604  |
| Gene Symbol                 | BCL6   |
| Species                     | Human  |
| Marker                      | Follicular Lymphoma Marker   |
| Specificity/Sensitivity     | Recognizes a protein of 95kDa, which is identified as Bcl-6. Antibody to bcl-6 is helpful in a number of diagnostic settings: (1) In the differential diagnosis of small B-cell lymphoma. Follicular lymphoma will show bcl-6 (and CD10) positivity whereas other small B-cell lymphomas are usually negative. (2) Bcl-6 is an important prognostic marker in diffuse large B-cell lymphomas (DLBCL), where CD10, bcl-6 and MUM1/IRF4 are used to identify germinal center and activated B-cell phenotypes. (3) Bcl-6 can be valuable in distinguishing classical Hodgkin lymphoma from nodular lymphocyte predominant Hodgkin lymphoma (NLPHL). The Reed-Sternberg cells of classical Hodgkin lymphoma are bcl-6 negative whereas the large ('LH') cells of NLPHL are bcl-6 positive. In contrast, anti-Bcl-6 rarely stains mantle-cell lymphoma and MALT lymphoma. |
| Immunogen                   | Recombinant human bcl-6 protein fragment (aa256-389) (exact sequence is proprietary) (Uniprot: P41182)   |
| Notes                       | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.  |
| Product Application Details |  |
| Applications                | Immunohistochemistry-Paraffin, Protein Array   |
| Recommended Dilutions       | Immunohistochemistry-Paraffin, Protein Array   |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined.   |
|                             |  |





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP3-08865R

| NBL1-07951         | Bcl-6 Overexpression Lysate                                 |
|--------------------|---|
| 594-ML-010         | IL-21 [Unconjugated]  |
| H00000604-Q01-10ug | Recombinant Human Bcl-6 GST (N-Term) Protein                |
| NBP1-43319R        | Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 550] |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08865R

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

