Product Datasheet

CD47 Antibody (CD47/3019) NBP3-08975-100ug

Unit Size: 100 ug Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08975

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-08975




NBP3-08975-100ug

CD47 Antibody (CD47/3019)	
Product Information	
Unit Size	100 ug
Concentration	0.2 mg/ml
Storage	Store at 4C.
Clonality	Monoclonal
Clone	CD47/3019
Preservative	0.05% Sodium Azide
Isotype	IgG1 Kappa
Purity	Protein A or G purified
Buffer	10 mM PBS with 0.05% BSA
Target Molecular Weight	50 kDa
Product Description	
Description	200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08976) Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80
Heat	C.
Host Core ID	Mouse 064
Gene ID	961 CD 47
Gene Symbol	CD47
Species	Human This and the decrease to with the decrease of OD47 and the OD47 and the open decreased.
Specificity/Sensitivity	This antibody reacts with Ig domain of CD47 protein. CD47, originally named integrin-associated protein (IAP), is a 50kDa protein containing five membrane-spanning sequences and a short cytoplasmic tail. CD47 plays a role in both cell adhesion by acting as an adhesion receptor for THBS1 on platelets, and in the modulation of integrins. It is important in memory formation and synaptic plasticity in the hippocampus. CD47 may play a role in membrane transport and/or integrin dependent signal transduction.
Immunogen	A recombinant fragment (around aa 18-135) of human CD47 protein (exact sequence is proprietary) (Uniprot: Q08722)
Product Application Details	
Applications	ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Protein Array
Recommended Dilutions	Flow Cytometry 1-2 ug/million cells, ELISA, Immunohistochemistry 1-2ug/ml, Immunocytochemistry/ Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml, Protein Array
Application Notes	Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 degrees C followed by cooling at RT for 20 minutes. ELISA: For coating, order without BSA Optimal dilution for a specific application should be determined.




Images


Immunocytochemistry/Immunofluorescence: CD47 Antibody (CD47/3019) [NBP3-08975] - Immunofluorescence staining of PFA-fixed MCF-7 cells. CD47 Mouse Monoclonal Antibody (CD47/3019) followed by goat anti-mouse IgG-CF488 (green). Nuclei are stained with RedDot.




Immunohistochemistry-Paraffin: CD47 Antibody (CD47/3019) [NBP3-08975] - Formalin-fixed, paraffin-embedded human Prostate Carcinoma stained with Biotin-conjugated CD47 Mouse Monoclonal Antibody (IAP/3019).




Flow Cytometry: CD47 Antibody (CD47/3019) [NBP3-08975] - Flow Cytometric Analysis of PFA-fixed MCF-7 cells using CD47 Mouse Monoclonal Antibody (CD47/3019) followed by goat anti-mouse IgG-CF488 (blue); isotype control (red).




Immunohistochemistry-Paraffin: CD47 Antibody (CD47/3019) [NBP3-08975] - Formalin-fixed, paraffin-embedded human prostate carcinoma stained with CD47 Mouse Monoclonal Antibody (CD47/3019).



Immunohistochemistry-Paraffin: CD47 Antibody (CD47/3019) [NBP3-08975] - Formalin-fixed, paraffin-embedded human prostate carcinoma stained with CD47 Mouse Monoclonal Antibody (CD47/3019).



Protein Array: CD47 Antibody (CD47/3019) [NBP3-08975] - Analysis of Protein Array containing more than 19,000 full-length human proteins using CD47 Mouse Monoclonal Antibody (CD47/3019).





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-08975-100ug

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)
NBP2-52320-0.05mg Recombinant Human CD47 hIgG-His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08975

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

