Product Datasheet

Common beta Chain Antibody (BION-1) - Chimeric - Azide and BSA Free NBP3-09025-0.2mg

Unit Size: 0.2 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-09025

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-09025



NBP3-09025-0.2mg

Recommended Dilutions

Common beta Chain Antibody (BION-1) - Chimeric - Azide and BSA Free	
Product Information	
Unit Size	0.2 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	BION-1
Preservative	0.02% Proclin 300
Isotype	IgG Kappa
Purity	Protein A purified
Buffer	PBS
Product Description	
Description	Novus Biologicals Rabbit Common beta Chain Antibody (BION-1) - Chimeric - Azide and BSA Free (NBP3-09025) is a recombinant monoclonal antibody validated for use in IHC, WB, Flow, ICC/IF and IP. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	1439
Gene Symbol	CSF2RB
Species	Human
Specificity/Sensitivity	Binds to domain 4 of the common beta-chain and recognises the same binding site used by IL-5, GM-CSF and IL-3, or binds to an epitope in close proximity to it. Residues M363, R364, E366 (B-C loop) and R418 (F-G loop) in the common beta-chain are important for BION-1 binding.
Immunogen	BALB/c mice were immunized intraperitonally with COS cells transfected DQP (Domain 4 of the common beta-chain) expression constructs. The immunizations were repeated 4 times at 2-week intervals. Four weeks after the final immunization, a mouse was boosted with COS transfectants intravenously. Three days later, splenocytes were harvested and fused with NS-1 myeloma cells. Hybridoma supernatants were screened on CHO DQP cells by flow cytometry, with untransfected CHO cells as a control. All antibodies were from single hybridoma clones as selected by a limiting dilution method. MoAbs were purified from ascites fluid or hybridoma supernatant by a protein A sepharose column.
Product Application Details	
Applications	Western Blot, Flow Cytometry, Functional, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunoprecipitation, Block/Neutralize
B 1 1 B 11 41	NA A BLASE CALL LIVE IN THE CALL CALL



Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Functional, Block/Neutralize


Application Notes

This chimeric rabbit antibody was made using the variable domain sequences of the original Mouse IgG format, for improved compatibility with existing reagents, assays and techniques.


BION-1 has been shown the block eosinophil production, survival, and activation stimulated by IL-5 as well as by GM-CSF and IL-3, thereby influencing inflammation (Sun 1999). Further, BION-1 has been used in immunohistochemistry experiments in order to examine the presence of GM-CSF-receptor protein in human 8-cell embryos and blastocysts (Sjoblom 2002). In addition, a fab fragment derived from BION-1 has been used in the crystallisation of the common beta-chain to analyse the structure of the activation domain of the GM-CSF/IL-3/IL-5 receptor (Rossjohn 200).

Images


Immunocytochemistry/Immunofluorescence: Common beta Chain Antibody (BION-1) - Chimeric [NBP3-09025] - Human epithelial cells stained with NBP3-09025. ICC/IF image submitted by a verified customer review.



Flow Cytometry: Common beta Chain Antibody (BION-1) - Chimeric [NBP3-09025] - U937 cells were stained with anti-Fluorescein IgG antibody (4-4-20; isotype control, black line) or the rabbit IgG version of BION-1 ((NBP3-09025, blue line) at a dilution of 1:100 for 1h at RT. After washing, bound antibody was detected using a goat anti-rabbit IgG AlexaFluor(R) 488 antibody at a dilution of 1:1000 and cells analyzed using a FACSCanto flow-cytometer.



Immunocytochemistry/Immunofluorescence: Common beta Chain Antibody (BION-1) - Chimeric [NBP3-09025] - Immunofluorescence analysis of paraformaldehyde fixed U937 cells immobilized on Shi-fix (TM) cover-slips and stained with the chimeric rabbit IgG version of BION-1 (NBP3-09025) at 10 ug/ml followed by Alexa Fluor(R) 488 secondary antibody (2 ug/ml), showing membrane staining. The nuclear stain is DAPI (blue). Panels show from left-right, top-bottom NBP3-09025, DAPI, merged channels and an isotype control. The isotype control was stained with anti-Fluorescein antibody followed by Alexa Fluor(R) 488 secondary antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-09025-0.2mg

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-52244-0.05mg Recombinant Human Common beta Chain His Protein

210-TA-005 TNF-alpha [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-09025

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

