Product Datasheet

CD27 Ligand/TNFSF7/CD70 Antibody (TAN1-6) - Chimeric Azide and BSA Free NBP3-09030-0.2mg

Unit Size: 0.2 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-09030

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-09030



NBP3-09030-0.2mg


CD27 Ligand/TNFSF7/CD70 Antibody (TAN1-6) - Chimeric - Azide and BSA Free	
Product Information	
Unit Size	0.2 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	TAN1-6
Preservative	0.02% Proclin 300
Isotype	IgG Kappa
Purity	Protein A purified
Buffer	PBS
Product Description	
Description	Novus Biologicals Rabbit CD27 Ligand/TNFSF7/CD70 Antibody (TAN1-6) - Chimeric - Azide and BSA Free (NBP3-09030) is a recombinant monoclonal antibody validated for use in WB, Flow and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	970
Gene Symbol	CD70
Species	Mouse
Immunogen	This antibody was raised by immunising LOU rats with soluble recombinant CD70:Fc fusion protein
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Block/Neutralize
Recommended Dilutions	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Block/Neutralize
Application Notes	This chimeric rabbit antibody was made using the variable domain sequences of the original Rat IgG2a format, for improved compatibility with existing reagents, assays and techniques. This antibody has been used in various FACS analyses to reveal a critical role for CD70 in CD8 T cell priming by CD40-licensed antigen-presenting cells (Taraban et al, 2004), to demonstrate the differential requirement for CD70 and CD80/CD86 in dendritic cell-mediated activation of tumor-tolerized CD8 T cells (Bak et al, 2012), to examine how temporal changes in dendritic cell subsets, cross-priming and costimulation via CD70 control CD8(+) T cell responses to influenza (Ballesteros-Tato et al, 2010), and to show that CD70 is downregulated by interaction with CD27 (Kuka et al, 2013). In addition, this antibody has been used in vivo to block the CD70-CD27 interaction as part of the two studies examining how CD70 is critically required for the priming of CD8+ T cells (Taraban et al, 2004; Taraban et al, 2006).




Images

Immunocytochemistry/Immunofluorescence: CD27
Ligand/TNFSF7/CD70 Antibody (TAN1-6) - Chimeric [NBP3-09030] Immunofluorescence analysis of paraformaldehyde fixed RAW264.7
cells on Shi-fix(TM) coverslips stained with the chimeric rabbit IgG
version of TAN1-6 (NBP3-09030) at 10 ug/ml for 1h followed by Alexa
Fluor(R) 488 secondary antibody (2 ug/ml), showing membrane staining.
The nuclear stain is DAPI (blue). Panels show from left-right, top-bottom
NBP3-09030, DAPI, merged channels and an isotype control. The
isotype control was an unknown specificity antibody followed by staining
with Alexa Fluor(R) 488 secondary antibody

Flow Cytometry: CD27 Ligand/TNFSF7/CD70 Antibody (TAN1-6) - Chimeric - Azide and BSA Free [NBP3-09030] - Paraformaldehyde fixed mouse splenocytes permeabilized with 0.5% Triton were stained with anti-unknown specificity antibody (isotype control, black line) or NBP3-09030 (blue line) at a dilution of 1:100 for 1h at RT. After washing, the bound antibody was detected using a goat anti-rabbit IgG AlexaFluor 488 antibody at a dilution of 1:1000 and cells analyzed using a FACSCanto flow-cytometer.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-09030-0.2mg

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

210-TA-005 TNF-alpha [Unconjugated] 783-CL-050/CF CD27 Ligand/TNFSF7/CD70

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-09030

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

