

Product Datasheet

HDAC6 Antibody (159) - BSA Free NBP3-09113

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP3-09113

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP3-09113




NBP3-09113

HDAC6 Antibody (159) - BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	159
Preservative	15mM Sodium Azide
Isotype	IgG1 Kappa
Purity	Protein A purified
Buffer	Phosphate buffered saline (PBS), pH 7.4
Product Description	
Description	Novus Biologicals Mouse HDAC6 Antibody (159) - BSA Free (NBP3-09113) is a monoclonal antibody validated for use in WB, ELISA, Flow and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	10013
Gene Symbol	HDAC6
Species	Human, Mouse (Negative), Zebrafish (Negative)
Specificity/Sensitivity	The mouse monoclonal antibody 159 recognizes SE domain of human histone deacetylase 6 (HDAC6; an intracellular antigen), amino acids 971-981. Crossreactivity with other species was not tested.
Immunogen	human HDAC6
Product Application Details	
Applications	Western Blot, ELISA, Flow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Western Blot 1-5 ug/ml, Flow Cytometry 1 - 4 ug/ml, ELISA, Immunocytochemistry/ Immunofluorescence 5-10 ug/ml, Flow (Intracellular) 1-4 ug/ml

Images

Flow Cytometry: HDAC6 Antibody (159) [NBP3-09113] - Separation of K562 cells stained using anti-HDAC6 (159) purified antibody (concentration in sample 4,0 ug/ml, GAM APC, red-filled) from K562 cells unstained by primary antibody (GAM APC, black-dashed) in flow cytometry analysis (intracellular staining).



Separation of K562 cells stained using anti-HDAC6 (159) purified antibody (concentration in sample 4,0 ug/ml, GAM APC, red-filled) from K562 cells unstained by primary antibody (GAM APC, black-dashed) in Analysis (intracellular staining).





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP3-09113

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-09113

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

