Product Datasheet

beta 2-Microglobulin Antibody (C21.48A1) [Janelia Fluor® 549] NBP3-11404JF549

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-11404JF549

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.



Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-11404JF549

NBP3-11404JF549

beta 2-Microglobulin Antibody (C21.48A1) [Janelia Fluor® 549]

21.48A1) [Janelia Fluor® 549]	
0.1 ml	
Please see the vial label for concentration. If unlisted please contact technical services.	
Store at 4C in the dark.	
Monoclonal	
C21.48A1	
0.05% Sodium Azide	
IgG2b Kappa	
Janelia Fluor 549	
Protein A or G purified	
50mM Sodium Borate	
Product Description	
Mouse	
567	
B2M	
Human, Primate	
Non-Human primates.	
Renal Failure & Tumor Marker	
The antibody recognizes the hidden determinant of beta-2 microglobulin (i.e. binding to its determinant is available only when the chain is separated from the HLA heavy chain. Beta-2 microglobulin is a 12KDa protein with a pl of 5.6. Serum beta2 microglobulin levels are a reflection of cell turnover. Levels rise with fever, inflammation, and infection. Increased serum levels are also seen in B-cell malignancies and in renal failure and may indicate a worse prognosis for patients with early-stage Hodgkins lymphoma. In urine, increased levels are seen in proximal renal tubular disease as well as renal transplant rejection. Beta2 microglobulin levels can rise either because its rate of synthesis has increased (e.g. in AIDS, malignant monoclonal plasma cell dyscrasia, solid tumours and autoimmune disease) or because of impaired renal filtration (e.g. due to renal insufficiency, graft rejection or nephrotoxicity induced by post-transplantation immunosuppressive therapy).	
Soluble beta 2-Microglobulin (Uniprot: P61769)	
Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus.	
Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence	
Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence	

Application Notes



Optimal dilution of this antibody should be experimentally determined.



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-11404JF549

NBP1-43317JF549	Mouse IgG2b Kappa Light Chain Isotype Control (MG2b) [Janelia Fluor 549]
NBP1-50840-0.01mg	Recombinant Human beta 2-Microglobulin His Protein
210-TA-005	TNF-alpha [Unconjugated]
KGE019	beta 2-Microglobulin [Biotin]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-11404JF549

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

