

# Product Datasheet

## MUC5AC Antibody (2-11M1) [DyLight 594] NBP3-11418DL594

Unit Size: 0.1 ml

Store at 4C in the dark.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP3-11418DL594](http://www.novusbio.com/NBP3-11418DL594)

Updated 10/26/2023 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP3-11418DL594](http://www.novusbio.com/reviews/destination/NBP3-11418DL594)



**NBP3-11418DL594**

MUC5AC Antibody (2-11M1) [DyLight 594]

| Product Information |   |
|---------------------|---|
| Unit Size           | 0.1 ml  |
| Concentration       | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage             | Store at 4C in the dark.  |
| Clonality           | Monoclonal  |
| Clone               | 2-11M1  |
| Preservative        | 0.05% Sodium Azide  |
| Isotype             | IgG1 Kappa  |
| Conjugate           | DyLight 594   |
| Purity              | Protein A or G purified   |
| Buffer              | 50mM Sodium Borate  |

| Product Description     |  |
|-------------------------|--|
| Host                    | Mouse  |
| Gene ID                 | 4586   |
| Gene Symbol             | MUC5AC   |
| Species                 | Human, Mouse, Bovine, Feline, Monkey   |
| Specificity/Sensitivity | This monoclonal antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin 5AC). Its epitope is located in the N-terminal cysteine rich part of the peptide core of MUC5AC, which is heavily glycosylated. Its epitope is destroyed by beta-mercaptoethanol but not by periodate treatment. monoclonal antibody 2-11M1 reacts with the protein backbone exclusively; it only reacts with fully deglycosylated MUC5AC. Therefore, the material under test should also be fully deglycosylated. This can be achieved with standard periodate oxidation method. The success of the deglycosylation can be checked with routine PAS (Periodic Acid Schiff) staining. After deglycosylation, the preparation should no longer be stainable with PAS reagent. Only then 2-11M1 will react should MUC5AC be present. This mucin is present in primary ovarian mucinous cancer but usually absent in colorectal adenocarcinoma, thus showing an expression pattern opposite to MUC2. Together with a panel of antibodies, Anti-MUC5AC may be useful for differential identification of primary mucinous ovarian tumors from colon adenocarcinoma metastatic to the ovary. MUC5AC antibodies may also be useful for identification of intestinal metaplasia as well as in the identification of pancreatic carcinoma and pre-cancerous changes vs. normal pancreas. |
| Immunogen               | M1 mucin preparation from the fluid of an ovarian mucinous cyst belonging to an O Le(a-b) patient  |
| Notes                   | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.  |

| Product Application Details |   |
|-----------------------------|---|
| Applications                | ELISA, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunofluorescence |
| Recommended Dilutions       | Flow Cytometry, ELISA, Immunocytochemistry/Immunofluorescence, Immunofluorescence |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined.            |





### Novus Biologicals USA

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA

Phone: 303.730.1950

Toll Free: 1.888.506.6887

Fax: 303.730.1966

[nb-customerservice@bio-techne.com](mailto:nb-customerservice@bio-techne.com)

### Bio-Techne Canada

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada

Phone: 905.827.6400

Toll Free: 855.668.8722

Fax: 905.827.6402

[canada.inquires@bio-techne.com](mailto:canada.inquires@bio-techne.com)

### Bio-Techne Ltd

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15

Fax: (44) (0) 1235 533420

[info.EMEA@bio-techne.com](mailto:info.EMEA@bio-techne.com)

### General Contact Information

[www.novusbio.com](http://www.novusbio.com)

Technical Support: [nb-technical@bio-techne.com](mailto:nb-technical@bio-techne.com)

Orders: [nb-customerservice@bio-techne.com](mailto:nb-customerservice@bio-techne.com)

General: [novus@novusbio.com](mailto:novus@novusbio.com)

### Products Related to NBP3-11418DL594

---

|                    |   |
|--------------------|---|
| NBP1-43319DL594    | Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 594] |
| H00004586-Q01-10ug | Recombinant Human MUC5AC GST (N-Term) Protein               |
| 210-TA-005         | TNF-alpha [Unconjugated]                                    |
| NBP2-76703         | Human MUC5AC ELISA Kit (Colorimetric)                       |

---

### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP3-11418DL594](http://www.novusbio.com/reviews/submit/NBP3-11418DL594)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)



