Product Datasheet

Chorionic Gonadotropin alpha/beta (hCG) Antibody (HCGab/52) [DyLight 594] NBP3-11526DL594

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-11526DL594

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.



Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-11526DL594

NBP3-11526DL594

Chorionic Gonadotropin alpha/beta (hCG) Antibody (HCGab/52) [DyLight 594]

Product Information	
nl	
se see the vial label for concentration. If unlisted please contact technical ces.	
e at 4C in the dark.	
oclonal	
ab/52	
% Sodium Azide	
Карра	
ght 594	
ein A or G purified	
M Sodium Borate	
Product Description	
se	
3	
an	
nancy & Choriocarcinoma Marker	
monoclonal antibody is a very special because it reacts ONLY with the	
t-HCG and not with either free alpha- or free beta-chain of HCG. HCG is a oprotein and is composed of two non-identical, non-covalently linked opeptide chains designated as the subunit is identical to that of thyroid ulating hormone (TSH) follicle stimulating hormone (FSH), and luteinizing none (LH). HCG is secreted in large quantities by normal trophoblasts. It is ent only in trace amounts in non-pregnant urine and sera but rises sharply ng pregnancy. HCG monoclonal antibody detects cells and tumors of noblastic origin such as choriocarcinoma. Large cell carcinoma and nocarcinoma of the lung demonstrate anti-hCG positivity in 90% and 60% of s respectively. 20% of lung squamous cell carcinomas are positive. HCG ession by non-trophoblastic tumors may indicate aggressive behavior.	
pprotein and is composed of two non-identical, non-covalently linked beptide chains designated as the subunit is identical to that of thyroid ulating hormone (TSH) follicle stimulating hormone (FSH), and luteinizing none (LH). HCG is secreted in large quantities by normal trophoblasts. It is ent only in trace amounts in non-pregnant urine and sera but rises sharply to pregnancy. HCG monoclonal antibody detects cells and tumors of noblastic origin such as choriocarcinoma. Large cell carcinoma and nocarcinoma of the lung demonstrate anti-hCG positivity in 90% and 60% of s respectively. 20% of lung squamous cell carcinomas are positive. HCG	
pprotein and is composed of two non-identical, non-covalently linked peptide chains designated as the subunit is identical to that of thyroid ulating hormone (TSH) follicle stimulating hormone (FSH), and luteinizing none (LH). HCG is secreted in large quantities by normal trophoblasts. It is ent only in trace amounts in non-pregnant urine and sera but rises sharply ing pregnancy. HCG monoclonal antibody detects cells and tumors of noblastic origin such as choriocarcinoma. Large cell carcinoma and nocarcinoma of the lung demonstrate anti-hCG positivity in 90% and 60% of s respectively. 20% of lung squamous cell carcinomas are positive. HCG ession by non-trophoblastic tumors may indicate aggressive behavior.	
pprotein and is composed of two non-identical, non-covalently linked beptide chains designated as the subunit is identical to that of thyroid ulating hormone (TSH) follicle stimulating hormone (FSH), and luteinizing none (LH). HCG is secreted in large quantities by normal trophoblasts. It is ent only in trace amounts in non-pregnant urine and sera but rises sharply no pregnancy. HCG monoclonal antibody detects cells and tumors of noblastic origin such as choriocarcinoma. Large cell carcinoma and nocarcinoma of the lung demonstrate anti-hCG positivity in 90% and 60% of s respectively. 20% of lung squamous cell carcinomas are positive. HCG ession by non-trophoblastic tumors may indicate aggressive behavior. ied Chorionic Gonadotropin alpha/beta (hCG) protein	
pprotein and is composed of two non-identical, non-covalently linked beptide chains designated as the subunit is identical to that of thyroid ulating hormone (TSH) follicle stimulating hormone (FSH), and luteinizing none (LH). HCG is secreted in large quantities by normal trophoblasts. It is ent only in trace amounts in non-pregnant urine and sera but rises sharply no pregnancy. HCG monoclonal antibody detects cells and tumors of noblastic origin such as choriocarcinoma. Large cell carcinoma and nocarcinoma of the lung demonstrate anti-hCG positivity in 90% and 60% of s respectively. 20% of lung squamous cell carcinomas are positive. HCG ession by non-trophoblastic tumors may indicate aggressive behavior. ied Chorionic Gonadotropin alpha/beta (hCG) protein	
opprotein and is composed of two non-identical, non-covalently linked opprotein and is composed of two non-identical, non-covalently linked opptide chains designated as the subunit is identical to that of thyroid ulating hormone (TSH) follicle stimulating hormone (FSH), and luteinizing none (LH). HCG is secreted in large quantities by normal trophoblasts. It is ent only in trace amounts in non-pregnant urine and sera but rises sharply appregnancy. HCG monoclonal antibody detects cells and tumors of noblastic origin such as choriocarcinoma. Large cell carcinoma and nocarcinoma of the lung demonstrate anti-hCG positivity in 90% and 60% of s respectively. 20% of lung squamous cell carcinomas are positive. HCG ession by non-trophoblastic tumors may indicate aggressive behavior. ied Chorionic Gonadotropin alpha/beta (hCG) protein	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-11526DL594

NB120-15160	Chromogranin A Antibody - BSA Free
NBP3-18708	Human Chorionic Gonadotropin alpha/beta (hCG) ELISA Kit (Colorimetric)
314-BP-010	BMP-4 [Unconjugated]
NBP1-43319DL594	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 594]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-11526DL594

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

