Product Datasheet

ZAP70 Antibody (ZAP70/528) [DyLight 488] NBP3-11537G

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-11537G

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-11537G



NBP3-11537G

Application Notes

| ZAP70 Antibody (ZAP70/528) [DyLight 488] | | |
|--|---|--|
| Product Information | | |
| Unit Size | 0.1 ml | |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. | |
| Storage | Store at 4C in the dark. | |
| Clonality | Monoclonal | |
| Clone | ZAP70/528 | |
| Preservative | 0.05% Sodium Azide | |
| Isotype | IgG2a Kappa | |
| Conjugate | DyLight 488 | |
| Purity | Protein A or G purified | |
| Buffer | 50mM Sodium Borate | |
| Product Description | | |
| Host | Mouse | |
| Gene ID | 7535 | |
| Gene Symbol | ZAP70 | |
| Species | Human | |
| Marker | Chronic Lymphocytic Leukemia Marker | |
| Specificity/Sensitivity | ZAP70 is a 70kDa protein tyrosine kinase found in T-cells and natural killer cells. Control of this protein translation is via the IgVH gene. ZAP70 protein is expressed in leukemic cells of approximately 25% of chronic lymphocytic leukemia (CLL) cases as well.Anti-ZAP70 expression is an excellent surrogate marker for the distinction between the Ig-mutated (anti-ZAP70 negative) and Ig-unmutated (anti-ZAP70 positive) CLL subtypes and can identify patient groups with divergent clinical courses. The anti-ZAP70 positive Ig-unmutated CLL cases have been shown to have a poorer prognosis. | |
| Immunogen | Recombinant full-length human ZAP70 protein (Uniprot: P43403) | |
| Notes | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. | |
| Product Application Details | | |
| Applications | Immunohistochemistry, Immunohistochemistry-Paraffin | |
| Recommended Dilutions | Immunohistochemistry, Immunohistochemistry-Paraffin | |
| | | |

| 1 | | |
|---------|---|----|
| <u></u> | _ | T, |

Optimal dilution of this antibody should be experimentally determined.



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-11537G

NBP1-96981G Mouse IgG2a Kappa Isotype Control (M2AK) [DyLight 488]

NBP1-87000PEP ZAP70 Recombinant Protein Antigen

202-IL-010 IL-2 [Unconjugated] 3709-KS-010 ZAP70 [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-11537G

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

