## **Product Datasheet**

### MUC5AC Antibody (SPM488) [DyLight 405] NBP3-11583V

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-11583V

Updated 10/26/2023 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-11583V



#### NBP3-11583V

MUC5AC Antibody (SPM488) [DyLight 405]

| Product Information         |   |
|-----------------------------|---|
| Unit Size                   | 0.1 ml  |
| Concentration               | Please see the vial label for concentration. If unlisted please contact technical services.   |
| Storage                     | Store at 4C in the dark.  |
| Clonality                   | Monoclonal  |
| Clone                       | SPM488  |
| Preservative                | 0.05% Sodium Azide  |
| Isotype                     | IgG1 Kappa  |
| Conjugate                   | DyLight 405   |
| Purity                      | Protein A or G purified   |
| Buffer                      | 50mM Sodium Borate  |
| Product Description         |   |
| Host                        | Mouse   |
| Gene ID                     | 4586  |
| Gene Symbol                 | MUC5AC  |
| Species                     | Human   |
| Specificity/Sensitivity     | Mucin 5AC glycoprotein (MUC5AC) is a HMW glycoprotein belonging to the superfamily of mucins. Mucins are produced by epithelial cells and can be divided into two families; secretory mucins and membrane bound mucins. MUC5AC is a mucus-forming, secreted mucin that is found in normal gastric and tracheo-bronchial mucosa, but absent from normal colon. MUC5AC expression is present in primary ovarian mucinous cancer but usually absent in colorectal adenocarcinoma, thus showing an expression pattern opposite to MUC2. Together with a panel of antibodies, Anti-MUC5AC may be useful for differential identification of primary mucinous ovarian tumors from colon adenocarcinoma metastatic to the ovary. MUC5AC antibodies may also be useful for identification of intestinal metaplasia as well as in the identification of pancreatic carcinoma and pre-cancerous changes vs. normal pancreas. |
| Immunogen                   | A synthetic peptide of human MUC5AC tandem repeat (Uniprot: P98088)   |
| Notes                       | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.   |
| Product Application Details |   |
| Applications                | Flow Cytometry, Immunocytochemistry/Immunofluorescence,<br>Immunohistochemistry, Immunohistochemistry-Paraffin, Immunofluorescence  |
| Recommended Dilutions       | Flow Cytometry, Immunohistochemistry,<br>Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin,<br>Immunofluorescence   |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined.  |





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP3-11583V

NBP1-43319V-0.5mlMouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 405]H00004586-Q01-10ugRecombinant Human MUC5AC GST (N-Term) Protein210-TA-005TNF-alpha [Unconjugated]NBP2-76703Human MUC5AC ELISA Kit (Colorimetric)

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-11583V

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

