## **Product Datasheet**

### Cyclin B1 Antibody (SPM619) [DyLight 405] NBP3-11598V

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-11598V

Updated 10/26/2023 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-11598V



#### NBP3-11598V

Cyclin B1 Antibody (SPM619) [DyLight 405]

| J J ( /L J                  | 5 1  |
|-----------------------------|--|
| Product Information         |  |
| Unit Size                   | 0.1 ml   |
| Concentration               | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                     | Store at 4C in the dark.   |
| Clonality                   | Monoclonal   |
| Clone                       | SPM619   |
| Preservative                | 0.05% Sodium Azide   |
| Isotype                     | IgG1 Kappa   |
| Conjugate                   | DyLight 405  |
| Purity                      | Protein A or G purified  |
| Buffer                      | 50mM Sodium Borate   |
| Product Description         |  |
| Host                        | Mouse  |
| Gene ID                     | 891  |
| Gene Symbol                 | CCNB1  |
| Species                     | Human, Mouse   |
| Specificity/Sensitivity     | It recognizes a protein of 55-62kDa, identified as cyclin B1. In mammals, cyclin B associates with inactive p34cdc2, which facilitates phosphorylation of p34cdc2 at aa 14Thr and 15Tyr. This maintains the inactive state until the end of G2-phase. The inactive cyclin B-p34cdc2 complex continues to accumulate in the cytoplasm until the completion of DNA synthesis, when Cdc25, a specific protein phosphatase, dephosphorylates aa 14Thr and 15Tyr of p34cdc2 rendering the complex active at the G2/M boundary. This mitotic kinase complex remains active until the metaphase/anaphase transition when cyclin B is degraded. This degradation process is ubiquitin-dependent and is necessary for the cell to exit mitosis. So, cyclin B-p34cdc2 plays a critical role in G2 to M transition. |
| Immunogen                   | Recombinant human full-length Cyclin B1 protein (Uniprot: P14635)  |
| Notes                       | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.  |
| Product Application Details |  |
| Applications                | Flow Cytometry, Immunocytochemistry/Immunofluorescence,<br>Immunohistochemistry, Immunohistochemistry-Paraffin, Immunofluorescence   |
| Recommended Dilutions       | Flow Cytometry, Immunohistochemistry,<br>Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin,<br>Immunofluorescence  |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined.   |
|                             |  |





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP3-11598V

| Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 405] |
|---|
| Recombinant Human Cyclin B1 His Protein                     |
| Human Cyclin B1 ELISA Kit (Colorimetric)                    |
| Caspase-3 Antibody [Unconjugated] - Active                  |
|   |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-11598V

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

