# **Product Datasheet**

## **Thyroglobulin Antibody (TGB24) [Alexa Fluor® 405]** NBP3-11600AF405

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-11600AF405

Updated 10/26/2023 v.20.1

### Earn rewards for product reviews and publications.



#### NBP3-11600AF405

Thyroglobulin Antibody (TGB24) [Alexa Fluor® 405]

| Product Information     |   |
|-------------------------|---|
| Unit Size               | 0.1 ml  |
| Concentration           | Please see the vial label for concentration. If unlisted please contact technical services.   |
| Storage                 | Store at 4C in the dark.  |
| Clonality               | Monoclonal  |
| Clone                   | TGB24   |
| Preservative            | 0.05% Sodium Azide  |
| Isotype                 | IgG1 Kappa  |
| Conjugate               | Alexa Fluor 405   |
| Purity                  | Protein A or G purified   |
| Buffer                  | 50mM Sodium Borate  |
| Product Description     |   |
| Host                    | Mouse   |
| Gene ID                 | 7038  |
| Gene Symbol             | TG  |
| Species                 | Human   |
| Marker                  | Thyroidal Cell Marker   |
| Specificity/Sensitivity | Thyroglobulin is a 660kDa dimeric pre-protein with multiple glycosylation sites. It<br>is produced by and processed within the thyroid gland to produce the hormone<br>thyroxine and triiodothyronine. Prior to forming dimers, thyroglobulin monomers<br>undergo conformational maturation in the endoplasmic reticulation. The vast<br>majority of follicular carcinomas of the thyroid will give positive immunoreactivity<br>for anti-thyroglobulin even though sometimes only focally. Poorly differentiated<br>carcinomas of the thyroid are frequently anti-thyroglobulin negative.<br>Adenocarcinomas of other-than-thyroid origin do not react with this antibody.<br>This antibody is useful in identification of thyroid carcinoma of the papillary and<br>follicular types. Presence of thyroglobulin in metastatic lesions establishes the<br>thyroid origin of tumor. Anti-thyroglobulin, combined with anti-calcitonin, can<br>identify medullary carcinomas of the thyroid. Furthermore, anti-thyroglobulin,<br>combined with anti-TTF1, can be a reliable marker to differentiate between<br>primary thyroid and lung neoplasms. |
| Immunogen               | Human thyroid follicular cells  |

www.novusbio.com



|                              | Alexa Fluor (R) products are provided under an intellectual property license from<br>Life Technologies Corporation. The purchase of this product conveys to the<br>buyer the non-transferable right to use the purchased product and components<br>of the product only in research conducted by the buyer (whether the buyer is an<br>academic or for-profit entity). The sale of this product is expressly conditioned on<br>the buyer not using the product or its components, or any materials made using<br>the product or its components, in any activity to generate revenue, which may<br>include, but is not limited to use of the product or its components: (i) in<br>manufacturing; (ii) to provide a service, information, or data in return for<br>payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for<br>resale, regardless of whether they are resold for use in research. For information<br>on purchasing a license to this product for purposes other than as described<br>above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad,<br>CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on<br>demand. Actual recovery may vary from the stated volume of this product. The<br>volume will be greater than or equal to the unit size stated on the datasheet. |
|------------------------------|---|
| Product Application Details  |   |
| Applications                 | ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin  |
| <b>Recommended Dilutions</b> | ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin  |
| Application Notes            | Optimal dilution of this antibody should be experimentally determined.  |
|                              |   |

Notes





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP3-11600AF405

| IC002V             | Mouse IgG1 Isotype Control (11711) [Alexa Fluor® 405] |
|--------------------|---|
| H00007038-Q02-25ug | Recombinant Human Thyroglobulin GST (N-Term) Protein  |
| 210-TA-005         | TNF-alpha [Unconjugated]                              |
| DY8306-05          | Thyroglobulin [Biotin]                                |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-11600AF405

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

