# **Product Datasheet**

# GnRHR Antibody (A9E4) [Biotin] NBP3-11601B

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-11601B

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-11601B



# NBP3-11601B

GnRHR Antibody (A9E4) [Biotin]

Product Information	
Unit Size 0.1 ml	
<b>Concentration</b> Please see the vial label for concentration services.	ation. If unlisted please contact technical
Store at 4C in the dark.	
<b>Clonality</b> Monoclonal	
Clone A9E4	
Preservative 0.05% Sodium Azide	
Isotype IgG1 Kappa	
<b>Conjugate</b> Biotin	
Purity Protein A or G purified	
<b>Buffer</b> PBS	
Product Description	
<b>Host</b> Mouse	
<b>Gene ID</b> 2798	
Gene Symbol GNRHR	
Species Human	
Reactivity Notes Predicted to react with Porcine, Rabbi	it.
Chapitiaity/Capatityity	
hormone (GnRH) receptor or luteinizing (also designated luteinizing hormone) ovulation by stimulating the testes and (also designated choriogonadotropin) estrogen and progesterone levels duri and testes abundantly express luteiniz GnRH receptor contains seven hydrop by hydrophilic extracellular and intrace coupled receptors. GnRH stimulates the secrete luteinizing hormone (LH) as we GnRH influences the protective effect breast cancer. The expression of GnR the degree of tumor differentiation. Graph frequently in tumors with greater cell of GnRH is present in luteal and granulo membrane preparations.	d ovaries to produce steroids. Gonadotropin production in the placenta maintains ing the first trimester of pregnancy. Ovaries zing hormone/choriogonadotropin receptor. Schobic transmembrane domains connected ellular loops characteristic of G-protein he gonadotrophs of the anterior pituitary to yell as follicle-stimulating hormone (FSH). of pregnancy and Gonadotropin against RH on breast carcinoma correlates in part to nRH-positive breast tumors occur more differentiation in premenopausal women. sa cells as well as in ovarian cell
hormone (GnRH) receptor or luteinizing (also designated luteinizing hormone) ovulation by stimulating the testes and (also designated choriogonadotropin) estrogen and progesterone levels duri and testes abundantly express luteiniz GnRH receptor contains seven hydrop by hydrophilic extracellular and intrace coupled receptors. GnRH stimulates to secrete luteinizing hormone (LH) as we GnRH influences the protective effect breast cancer. The expression of GnR the degree of tumor differentiation. Graffrequently in tumors with greater cell of GnRH is present in luteal and granulo membrane preparations.	ng hormone receptor (LHCGR). Lutropin plays a role in spermatogenesis and dovaries to produce steroids. Gonadotropin production in the placenta maintains ing the first trimester of pregnancy. Ovaries zing hormone/choriogonadotropin receptor. Phobic transmembrane domains connected cellular loops characteristic of G-protein he gonadotrophs of the anterior pituitary to well as follicle-stimulating hormone (FSH). Of pregnancy and Gonadotropin against RH on breast carcinoma correlates in part to nRH-positive breast tumors occur more differentiation in premenopausal women.
hormone (GnRH) receptor or luteinizir (also designated luteinizing hormone) ovulation by stimulating the testes and (also designated choriogonadotropin) estrogen and progesterone levels duri and testes abundantly express luteiniz GnRH receptor contains seven hydrop by hydrophilic extracellular and intrace coupled receptors. GnRH stimulates to secrete luteinizing hormone (LH) as we GnRH influences the protective effect breast cancer. The expression of GnR the degree of tumor differentiation. Graffrequently in tumors with greater cell of GnRH is present in luteal and granulo membrane preparations.  Immunogen  A synthetic peptide aa 1-29 (MANSAS)	ng hormone receptor (LHCGR). Lutropin plays a role in spermatogenesis and dovaries to produce steroids. Gonadotropin production in the placenta maintains ing the first trimester of pregnancy. Ovaries zing hormone/choriogonadotropin receptor. Phobic transmembrane domains connected cellular loops characteristic of G-protein he gonadotrophs of the anterior pituitary to well as follicle-stimulating hormone (FSH). Of pregnancy and Gonadotropin against RH on breast carcinoma correlates in part to nRH-positive breast tumors occur more differentiation in premenopausal women. It is a cells as well as in ovarian cell
hormone (GnRH) receptor or luteinizing (also designated luteinizing hormone) ovulation by stimulating the testes and (also designated choriogonadotropin) estrogen and progesterone levels duri and testes abundantly express luteiniz GnRH receptor contains seven hydrop by hydrophilic extracellular and intrace coupled receptors. GnRH stimulates the secrete luteinizing hormone (LH) as we GnRH influences the protective effect breast cancer. The expression of GnR the degree of tumor differentiation. Graph frequently in tumors with greater cell of GnRH is present in luteal and granulo membrane preparations.  Immunogen  A synthetic peptide aa 1-29 (MANSAS the N-terminal of human GnRHR.	ng hormone receptor (LHCGR). Lutropin plays a role in spermatogenesis and dovaries to produce steroids. Gonadotropin production in the placenta maintains ing the first trimester of pregnancy. Ovaries zing hormone/choriogonadotropin receptor. Chobic transmembrane domains connected ellular loops characteristic of G-protein he gonadotrophs of the anterior pituitary to well as follicle-stimulating hormone (FSH). of pregnancy and Gonadotropin against RH on breast carcinoma correlates in part to nRH-positive breast tumors occur more differentiation in premenopausal women. Is a cells as well as in ovarian cell
hormone (GnRH) receptor or luteinizing (also designated luteinizing hormone) ovulation by stimulating the testes and (also designated choriogonadotropin) estrogen and progesterone levels duri and testes abundantly express luteiniz GnRH receptor contains seven hydrop by hydrophilic extracellular and intrace coupled receptors. GnRH stimulates to secrete luteinizing hormone (LH) as we GnRH influences the protective effect breast cancer. The expression of GnR the degree of tumor differentiation. Graffrequently in tumors with greater cell of GnRH is present in luteal and granulo membrane preparations.  Immunogen  A synthetic peptide aa 1-29 (MANSAS the N-terminal of human GnRHR.	ng hormone receptor (LHCGR). Lutropin plays a role in spermatogenesis and dovaries to produce steroids. Gonadotropin production in the placenta maintains ing the first trimester of pregnancy. Ovaries zing hormone/choriogonadotropin receptor. Schobic transmembrane domains connected cellular loops characteristic of G-protein the gonadotrophs of the anterior pituitary to well as follicle-stimulating hormone (FSH). Of pregnancy and Gonadotropin against RH on breast carcinoma correlates in part to the next tumors occur more differentiation in premenopausal women. In sa cells as well as in ovarian cell





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP3-11601B**

IC002B Mouse IgG1 Isotype Control (11711) [Biotin]

NBP2-55552PEP GnRHR Recombinant Protein Antigen

NBL1-11192 GnRHR Overexpression Lysate

NBP2-22203 ERK1 Antibody (1E5)

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-11601B

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

