Product Datasheet

B7-1/CD80 Antibody (RM80) [DyLight 488] NBP3-11977G

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-11977G

Updated 7/11/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-11977G



NBP3-11977G

B7-1/CD80 Antibody (RM80) [DyLight 488]	
Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	RM80
Preservative	0.05% Sodium Azide
Isotype	IgG2a Kappa
Conjugate	DyLight 488
Purity	Protein A purified
Buffer	50mM Sodium Borate
Product Description	
Host	Rat
Gene ID	941
Gene Symbol	CD80
Species	Mouse
Specificity/Sensitivity	This antibody is specific for murine B7-1/CD80, a ~55 kDa member of the Ig superfamily. B7-1/CD80 is expressed by macrophages, dendritic cells, activated B cells, and activated T cells. B7-1/CD80 has high affinity for binding to two T cell surface antigens, CD28 and CD152 (CTLA-4). The interaction of CD28 and CD152 with B7-1/CD80 is crucial in T-B cell communication leading to the activation of T and B cells, respectively.
Immunogen	This antibody was raised by immunising Sprague Dawley rats with a mouse B cell line, BCL1 and fusing immune splenocytes with P3U1 myeloma cells.
Notes	DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunohistochemistry, Block/Neutralize, Functional Assay
Recommended Dilutions	Western Blot, Flow Cytometry, Immunohistochemistry, Block/Neutralize, Functional Assay

Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunohistochemistry, Block/Neutralize, Functional Assay
Recommended Dilutions	Western Blot, Flow Cytometry, Immunohistochemistry, Block/Neutralize, Functional Assay
Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-11977G

NBP1-51104G Rat IgG2a Isotype Control (KLH/G2a-1-1) [DyLight 488]

NBP2-26578 Recombinant Mouse B7-1/CD80 Protein

210-TA-005 TNF-alpha [Unconjugated] 740-B1-100 B7-1/CD80 [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-11977G

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

