Product Datasheet

B7-1/CD80 Antibody (16C10) - Chimeric - Azide and BSA Free NBP3-12027-0.2mg

Unit Size: 0.2 mg

Store at 4C for up to 3 months. For longer storage, aliquot and store at -20C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-12027

Updated 4/19/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-12027



NBP3-12027-0.2mg

B7-1/CD80 Antibody (16C10) - Chimeric - Azide and BSA Free


, , , , , , , , , , , , , , , , , , ,	
Product Information	
Unit Size	0.2 mg
Concentration	1 mg/ml
Storage	Store at 4C for up to 3 months. For longer storage, aliquot and store at -20C.
Clonality	Monoclonal
Clone	16C10
Preservative	0.02% Proclin 300
Isotype	IgG Lambda
Purity	Protein A purified
Buffer	PBS

Product Description	
Host	Rabbit
Gene ID	941
Gene Symbol	CD80
Species	Human
Specificity/Sensitivity	This antibody binds human B7-1/CD80 and inhibits the B7.1:CD28 pathway.
Immunogen	This antibody was generated by immunization of cynomolgus monkeys with human B7.1 antigen.

Product Application Details	
Applications	ELISA, Immunocytochemistry/Immunofluorescence, Block/Neutralize
Recommended Dilutions	ELISA, Immunocytochemistry/Immunofluorescence, Block/Neutralize
Application Notes	This chimeric rabbit antibody was made using the variable domain sequences of the original IgG1 format, for improved compatibility with existing reagents, assays and techniques.

Images

Immunocytochemistry/Immunofluorescence: B7-1/CD80 Antibody (16C10) - Chimeric [NBP3-12027] - Immunofluorescence analysis of paraformaldehyde fixed Daudi cells on Shi-fix(TM) coverslips stained with the chimeric rabbit IgG version of 16C10 (NBP3-12027) at 10 ug/ml for 1h followed by Alexa Fluor(R) 488 secondary antibody (2 ug/ml), showing membrane staining. The nuclear stain is DAPI (blue). Panels show from left-right, top-bottom NBP3-12027, DAPI, merged channels and an isotype control. The isotype control was an unknown specificity antibody followed by staining with Alexa Fluor(R) 488 secondary antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

Products Related to NBP3-12027-0.2mg

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP] NB7156 Goat anti-Rabbit IgG (H+L) Secondary Antibody

NBP2-26578 Recombinant Mouse B7-1/CD80 Protein

210-TA-005 TNF-alpha [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-12027

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

