Product Datasheet

MS4A4A Antibody (3F2) [DyLight 755] NBP3-12044IR

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-12044IR

Updated 1/2/2022 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-12044IR



NBP3-12044IR

Application Notes

Unit Size Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone 3F2 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 755 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 51338 Gene Symbol MS4A4A Species Human Specificity/Sensitivity This antibody is specific for human extracellular MS4A4A. MS4A (membrane-spanning 4-domain family, subfamily A) is a large family of proteins that includes at least 28 members in mouse and humans. Flanked by amino-and carboxyl-cytoplasmic regions, MS4A4 family members contain four highly conserved transmembrane domains connected by short extracellular under otypolasmic loops. MS4A4A is likely to be a component of oligomeric cell surface complexes involved in signal transduction in diverse cell lineages. Immunogen This antibody was generated by immunizing C57BL/6 mice against mouse cell line 300-19 expressing transfected human membrane-spanning 4-domains subfamily A member 4A (MS4A4A)-GFP. Notes Product Application Details Applications Flow Cytometry, Immunocytochemistry/Immunofluorescence	MS4A4A Antibody (3F2) [DyLight 755]	
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone 3F2 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 755 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 51338 Gene Symbol MS4A4A Species Human Specificity/Sensitivity This antibody is specific for human extracellular MS4A4A. MS4A (membrane-spanning 4-domain family, subfamily A) is a large family of proteins that includes at least 28 members in mouse and humans. Flanked by amino- and carboxyl-cytoplasmic regions, MS4A family members contain four highly conserved transmembrane domains connected by short extracellular and cytoplasmic loops. MS4A4A is likely to be a component of oligomeric and cytoplasmic loops. MS4A4A is likely to be a component of oligomeric cell surface complexes involved in signal transduction in diverse cell lineages. Immunogen This antibody was generated by immunizing C57BL/6 mice against mouse cell line 300-19 expressing transfected human membrane-spanning 4-domains subfamily A member 4A (MS4A4A)-GFP. Notes Product Application Details Applications Flow Cytometry, Immunocytochemistry/Immunofluorescence	Product Information	
Storage Store at 4C in the dark. Clonality Monoclonal Clone 3F2 Preservative 0.05% Sodium Azide Isotype 1gG1 Kappa Conjugate DyLight 755 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 51338 Gene Symbol MS4A4A Species Human Specificity/Sensitivity This antibody is specific for human extracellular MS4A4A. MS4A (membrane-spanning 4-domain family, subtamily A) is a large family of proteins that includes at least 26 members in mouse and humans. Flanked by amino- and carboxyl-cytoplasmic regions, MS4A4 amily members contain four highly conserved transmembrane domains connected by short extracellular and cytoplasmic loops. MS4A4A is likely to be a component of oligomeric cell surface complexes involved in signal transduction in diverse cell lineages. Immunogen This antibody was generated by immunizing C57BL/6 mice against mouse cell line 300-19 expressing transfected human membrane-spanning 4-domains subfamily A member 4A (MS4A4A)-GFP. Notes Product Application Details Applications Flow Cytometry, Immunocytochemistry/Immunofluorescence	Unit Size	0.1 ml
Clone 3F2 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 755 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 51338 Gene Symbol MS4A4A Species Human Specificity/Sensitivity This antibody is specific for human extracellular MS4A4A. MS4A (membrane-spanning 4-domain family, subfamily A) is a large family of proteins that includes at least 26 members in mouse and humans. Flanked by amino- and carboxyl-cytoplasmic regions, MS4A family members contain four highly conserved transmembrane domains connected by short extracellular and cytoplasmic loops. MS4A4A is likely to be a component of oligomeric cell surface complexes involved in signal transduction in diverse cell lineages. Immunogen This antibody was generated by immunizing C57BL/6 mice against mouse cell line 300-19 expressing transfected human membrane-spanning 4-domains subfamily A member 4A (MS4A4A)-GFP. Notes Product Application Details Applications Flow Cytometry, Immunocytochemistry/Immunofluorescence	Concentration	·
Clone 3F2 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 755 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 51338 Gene Symbol MS4A4A Species Human Specificity/Sensitivity This antibody is specific for human extracellular MS4A4A. MS4A (membranespanning 4-domain family, subfamily A) is a large family of proteins that includes at least 26 members in mouse and humans. Flanked by amino- and carboxyl-cytoplasmic regions, MS4A family members contain four highly conserved transmembrane domains connected by short extracellular and cytoplasmic loops. MS4A4A is likely to be a component of oligomeric cell surface complexes involved in signal transduction in diverse cell lineages. Immunogen This antibody was generated by immunizing C57BL/6 mice against mouse cell line 300-19 expressing transfected human membrane-spanning 4-domains subfamily A member 4A (MS4A4A)-GFP. Notes Product Application Details Applications Flow Cytometry, Immunocytochemistry/Immunofluorescence	Storage	Store at 4C in the dark.
Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 755 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 51338 Gene Symbol MS4A4A Species Human Specificity/Sensitivity This antibody is specific for human extracellular MS4A4A, MS4A (membrane-spanning 4-domain family, subfamily A) is a large family of proteins that includes at least 26 members in mouse and humans. Flanked by amino- and carboxyl-cytoplasmic regions, MS4A family members contain four highly conserved transmembrane domains connected by short extracellular and cytoplasmic loops. MS4A4A is likely to be a component of oligomeric cell surface complexes involved in signal transduction in diverse cell lineages. Immunogen This antibody was generated by immunizing C57BL/6 mice against mouse cell line 300-19 expressing transfected human membrane-spanning 4-domains subfamily A member 4A (MS4A4A)-GFP. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Applications Flow Cytometry, Immunocytochemistry/Immunofluorescence	Clonality	Monoclonal
IgG1 Kappa IgG1 Kappa DyLight 755	Clone	3F2
Conjugate DyLight 755 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 51338 Gene Symbol MS4A4A Species Human Specificity/Sensitivity This antibody is specific for human extracellular MS4A4A. MS4A (membrane-spanning 4-domain family, subfamily A) is a large family of proteins that includes at least 26 members in mouse and humans. Flanked by amino- and carboxyl-cytoplasmic regions, MS4A family members contain four highly conserved transmembrane domains connected by short extracellular and cytoplasmic loops. MS4A4A is likely to be a component of oligomeric cell surface complexes involved in signal transduction in diverse cell lineages. Immunogen This antibody was generated by immunizing C57BL/6 mice against mouse cell line 300-19 expressing transfected human membrane-spanning 4-domains subfamily A member 4A (MS4A4A)-GFP. Notes Product Application Details Applications Flow Cytometry, Immunocytochemistry/Immunofluorescence	Preservative	0.05% Sodium Azide
Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 51338 Gene Symbol MS4A4A Species Human Specificity/Sensitivity This antibody is specific for human extracellular MS4A4A. MS4A (membrane-spanning 4-domain family, subfamily A) is a large family of proteins that includes at least 26 members in mouse and humans. Flanked by amino- and carboxyl-cytoplasmic regions, MS4A family members contain four highly conserved transmembrane domains connected by short extracellular and cytoplasmic loops. MS4A4A is likely to be a component of oligomeric cell surface complexes involved in signal transduction in diverse cell lineages. Immunogen This antibody was generated by immunizing C57BL/6 mice against mouse cell line 300-19 expressing transfected human membrane-spanning 4-domains subfamily A member 4A (MS4A4A)-GFP. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Applications Flow Cytometry, Immunocytochemistry/Immunofluorescence	Isotype	IgG1 Kappa
Buffer 50mM Sodium Borate	Conjugate	DyLight 755
Product Description	Purity	Protein A purified
Mouse	Buffer	50mM Sodium Borate
Gene Symbol Species Human Specificity/Sensitivity This antibody is specific for human extracellular MS4A4A. MS4A (membrane-spanning 4-domain family, subfamily A) is a large family of proteins that includes at least 26 members in mouse and humans. Flanked by amino- and carboxyl-cytoplasmic regions, MS4A family members contain four highly conserved transmembrane domains connected by short extracellular and cytoplasmic loops. MS4A4A is likely to be a component of oligomeric cell surface complexes involved in signal transduction in diverse cell lineages. Immunogen This antibody was generated by immunizing C57BL/6 mice against mouse cell line 300-19 expressing transfected human membrane-spanning 4-domains subfamily A member 4A (MS4A4A)-GFP. Notes Product Application Details Applications Flow Cytometry, Immunocytochemistry/Immunofluorescence	Product Description	
Gene Symbol MS4A4A Species Human This antibody is specific for human extracellular MS4A4A. MS4A (membrane-spanning 4-domain family, subfamily A) is a large family of proteins that includes at least 26 members in mouse and humans. Flanked by amino- and carboxyl-cytoplasmic regions, MS4A family members contain four highly conserved transmembrane domains connected by short extracellular and cytoplasmic loops. MS4A4A is likely to be a component of oligomeric cell surface complexes involved in signal transduction in diverse cell lineages. Immunogen This antibody was generated by immunizing C57BL/6 mice against mouse cell line 300-19 expressing transfected human membrane-spanning 4-domains subfamily A member 4A (MS4A4A)-GFP. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Flow Cytometry, Immunocytochemistry/Immunofluorescence	Host	Mouse
Specificity/Sensitivity This antibody is specific for human extracellular MS4A4A. MS4A (membrane-spanning 4-domain family, subfamily A) is a large family of proteins that includes at least 26 members in mouse and humans. Flanked by amino- and carboxyl-cytoplasmic regions, MS4A family members contain four highly conserved transmembrane domains connected by short extracellular and cytoplasmic loops. MS4A4A is likely to be a component of oligomeric cell surface complexes involved in signal transduction in diverse cell lineages. Immunogen This antibody was generated by immunizing C57BL/6 mice against mouse cell line 300-19 expressing transfected human membrane-spanning 4-domains subfamily A member 4A (MS4A4A)-GFP. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Flow Cytometry, Immunocytochemistry/Immunofluorescence	Gene ID	51338
This antibody is specific for human extracellular MS4A4A. MS4A (membrane-spanning 4-domain family, subfamily A) is a large family of proteins that includes at least 26 members in mouse and humans. Flanked by amino- and carboxyl-cytoplasmic regions, MS4A family members contain four highly conserved transmembrane domains connected by short extracellular and cytoplasmic loops. MS4A4A is likely to be a component of oligomeric cell surface complexes involved in signal transduction in diverse cell lineages. Immunogen This antibody was generated by immunizing C57BL/6 mice against mouse cell line 300-19 expressing transfected human membrane-spanning 4-domains subfamily A member 4A (MS4A4A)-GFP. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Flow Cytometry, Immunocytochemistry/Immunofluorescence	Gene Symbol	MS4A4A
spanning 4-domain family, subfamily A) is a large family of proteins that includes at least 26 members in mouse and humans. Flanked by amino- and carboxyl-cytoplasmic regions, MS4A family members contain four highly conserved transmembrane domains connected by short extracellular and cytoplasmic loops. MS4A4A is likely to be a component of oligomeric cell surface complexes involved in signal transduction in diverse cell lineages. Immunogen This antibody was generated by immunizing C57BL/6 mice against mouse cell line 300-19 expressing transfected human membrane-spanning 4-domains subfamily A member 4A (MS4A4A)-GFP. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Flow Cytometry, Immunocytochemistry/Immunofluorescence	Species	Human
line 300-19 expressing transfected human membrane-spanning 4-domains subfamily A member 4A (MS4A4A)-GFP. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Applications Flow Cytometry, Immunocytochemistry/Immunofluorescence	Specificity/Sensitivity	spanning 4-domain family, subfamily A) is a large family of proteins that includes at least 26 members in mouse and humans. Flanked by amino- and carboxyl-cytoplasmic regions, MS4A family members contain four highly conserved transmembrane domains connected by short extracellular and cytoplasmic loops. MS4A4A is likely to be a component of oligomeric cell surface complexes
DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Applications Flow Cytometry, Immunocytochemistry/Immunofluorescence	Immunogen	line 300-19 expressing transfected human membrane-spanning 4-domains
Applications Flow Cytometry, Immunocytochemistry/Immunofluorescence	Notes	DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
	Product Application Details	
	Applications	Flow Cytometry, Immunocytochemistry/Immunofluorescence
Recommended Dilutions Flow Cytometry, Immunocytochemistry/Immunofluorescence	Recommended Dilutions	Flow Cytometry, Immunocytochemistry/Immunofluorescence



Optimal dilution of this antibody should be experimentally determined.



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

Products Related to NBP3-12044IR

NBP1-43319IR-0.5ml Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 755]

H00051338-P01-2ug Recombinant Human MS4A4A GST (N-Term) Protein

7268-CT-100 CTLA-4 [Unconjugated]

NBL1-13318 MS4A4A Overexpression Lysate

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-12044IR

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

