Product Datasheet

NKCC2/SLC12A1 Antibody NBP3-12228

Unit Size: 100 ug

Store at 4C short term. Store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-12228

Updated 9/12/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-12228



NBP3-12228


NKCC2/SLC12A1 Antibody

INNOGZ/SEGTZAT ANIIDOGY	
Product Information	
Unit Size	100 ug
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Purity	Affinity purified
Buffer	Contains Tris, HCl/glycine buffer (pH 7.4-7.8), 30% glycerol, 0.5% BSA, along with cryo-protective agents, and HEPES (exact storage and stabilization buffer information is proprietary).
Product Description	
Host	Rabbit
Gene ID	6557
Gene Symbol	SLC12A1
Species	Human, Mouse, Rat, Primate
Immunogen	Synthetic peptide taken within amino acid region 30-60 on NKCC2 protein.
Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1:500, ELISA 1:10000, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin



Images

Immunohistochemistry-Paraffin: NKCC2/SLC12A1 Antibody [NBP3-12228] - Rat stomach-NBP3-12228. 1:50 dilution in IHC blocking buffer. DAB (brown) staining and hematoxylin QS (blue) counterstrain. 40x magnification on leica DM4000



Immunohistochemistry-Paraffin: NKCC2/SLC12A1 Antibody [NBP3-12228] - Rat stomach. 1:150 dilution IHC blocking buffer. DAB (brown) staining and Hematoxylin QS (blue) counterstain. 10X, 40X magnification.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-12228

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

H00006557-P01-10ug Recombinant Human NKCC2/SLC12A1 GST (N-Term) Protein

NBP2-09034 NKCC2/SLC12A1 Overexpression Lysate

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-12228

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

