## **Product Datasheet**

### PERK Antibody NBP3-12891

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.



Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-12891

Updated 1/3/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-12891



#### NBP3-12891


**PERK** Antibody

,	
Product Information	
Unit Size	100 ul
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.025% Proclin 300
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS, 20% Glycerol (pH7)
Target Molecular Weight	125 kDa
Product Description	
Description	Centrifuge briefly prior to opening.
Host	Rabbit
Gene Symbol	EIF2AK3
Species	Human, Mouse, Rat
Reactivity Notes	Bovine (89%)
Immunogen	Recombinant protein encompassing a sequence within the N-terminus region of human PERK. The exact sequence is proprietary.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500-1:3000, Immunohistochemistry -Assay dependent, Immunohistochemistry-Paraffin -Assay dependent




#### Images

Western Blot: PERK Antibody [NBP3-12891] - Whole cell extract (30 ug) was separated by 5% SDS-PAGE, and the membrane was blotted with PERK antibody (NBP3-12891) diluted at 1:500. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.



Immunohistochemistry-Paraffin: PERK Antibody [NBP3-12891] - Rat brain. PERK stained by PERK antibody (NBP3-12891) diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.

Immunohistochemistry-Paraffin: PERK Antibody [NBP3-12891] - Mouse brain. PERK stained by PERK antibody (NBP3-12891) diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.







#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP3-12891

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
H00009451-Q01-10ug	Recombinant Human PERK GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-12891

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

