Product Datasheet

Lck [p Tyr394] Antibody NBP3-13305

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-13305

Updated 5/1/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-13305



NBP3-13305


Lck [p Tyr394] Antibody

100 ul
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Polyclonal
0.025% Proclin 300
IgG
Antigen Affinity-purified
PBS (pH 7), 20% Glycerol, 1% BSA
(, , , , , , , , , , , , , , , , ,
Centrifuge briefly prior to opening.
Centrifuge briefly prior to opening.
Centrifuge briefly prior to opening. Rabbit
Centrifuge briefly prior to opening. Rabbit 3932
Centrifuge briefly prior to opening. Rabbit 3932 LCK
Centrifuge briefly prior to opening. Rabbit 3932 LCK Human, Mouse, Rat Carrier-protein conjugated synthetic peptide corresponding to residues around
Centrifuge briefly prior to opening. Rabbit 3932 LCK Human, Mouse, Rat Carrier-protein conjugated synthetic peptide corresponding to residues around




Images

Western Blot: Lck [p Tyr394] Antibody [NBP3-13305] - Various whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with Lck (phospho Tyr394) antibody (NBP3-13305) diluted at 1:500. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.



Western Blot: Lck [p Tyr394] Antibody [NBP3-13305] - Untreated (-) and treated (+) Jurkat whole cell extracts (30 ug) were separated by 7.5% SDS-PAGE, and the membrane was blotted with Lck (phospho Tyr394) antibody (NBP3-13305) diluted at 1:500. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-13305

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-85804PEP Lck Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-13305

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

