Product Datasheet

HuC Antibody - BSA Free NBP3-13367

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-13367

Updated 3/3/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-13367



NBP3-13367

HuC Antibody - BSA Free


Product Information	
Unit Size	100 ul
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.025% Proclin 300
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS (pH 7), 20% Glycerol
Due dont Description	

Product Description		
Description	Centrifuge briefly prior to opening.	
Host	Rabbit	
Gene ID	1995	
Gene Symbol	ELAVL3	
Species	Mouse, Rat	
Immunogen	Carrier-protein conjugated synthetic peptide encompassing a sequence within the N-terminus region of mouse HuC. The exact sequence is proprietary.	


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen
Recommended Dilutions	Western Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry- Frozen


Images

Western Blot: HuC Antibody [NBP3-13367] - Various tissue extracts (50 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with HuC antibody (NBP3-13367) diluted at 1:500. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.





Immunocytochemistry/Immunofluorescence: HuC Antibody [NBP3-13367] - HuC antibody detects HuC protein by immunofluorescent analysis. Sample: DIV10 rat E18 primary cortical neuron cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: HuC stained by HuC antibody (NBP3-13367) diluted at 1:500. Red: beta Tubulin 3/ Tuj1, stained by beta Tubulin 3/ Tuj1 antibody [GT11710] (NBP2-43559) diluted at 1:1000. Blue: Fluoroshield with DAPI.






Immunohistochemistry-Frozen: HuC Antibody [NBP3-13367] - HuC antibody detects HuC protein by immunohistochemical analysis. Sample: Frozen-sectioned mouse hippocampus. Green: HuC stained by HuC antibody (NBP3-13367) diluted at 1:250. Blue: Fluoroshield with DAPI.






Immunohistochemistry-Paraffin: HuC Antibody [NBP3-13367] - HuC antibody detects HuC protein at cytoplasm and nucleus by immunohistochemical analysis. Sample: Paraffin-embedded mouse brain. HuC stained by HuC antibody (NBP3-13367) diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 10 min




Immunohistochemistry-Paraffin: HuC Antibody [NBP3-13367] - HuC antibody detects HuC protein at cytoplasm and nucleus by immunohistochemical analysis. Sample: Paraffin-embedded mouse brain. HuC stained by HuC antibody (NBP3-13367) diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 10 min






Immunohistochemistry-Paraffin: HuC Antibody [NBP3-13367] - HuC antibody detects HuC protein at cytoplasm and nucleus by immunohistochemical analysis. Sample: Paraffin-embedded rat brain. HuC stained by HuC antibody (NBP3-13367) diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 10 min



Immunohistochemistry-Frozen: HuC Antibody [NBP3-13367] - HuC antibody detects HuC protein by immunohistochemical analysis. Sample: Frozen-sectioned mouse hippocampus. Green: HuC stained by HuC antibody (NBP3-13367) diluted at 1:250. Blue: Fluoroshield with DAPI.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-13367

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control 210-TA-005 TNF-alpha [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-13367

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

