Product Datasheet

SARS-CoV-2 NSP10 Antibody - BSA Free NBP3-13476

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-13476

Updated 3/3/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-13476



NBP3-13476


SARS-CoV-2 NSP10 Antibody - BSA Free

BSA Free
100 ul
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Polyclonal
0.025% Proclin 300
IgG
Antigen Affinity-purified
PBS (pH 7), 20% Glycerol
PBS (pH 7), 20% Glycerol
PBS (pH 7), 20% Glycerol Centrifuge briefly prior to opening.
Centrifuge briefly prior to opening.
Centrifuge briefly prior to opening. Rabbit
Centrifuge briefly prior to opening. Rabbit 43740578
Centrifuge briefly prior to opening. Rabbit 43740578 ORF1ab
Centrifuge briefly prior to opening. Rabbit 43740578 ORF1ab SARS-CoV-2 Recombinant protein encompassing a sequence within the center region of
Centrifuge briefly prior to opening. Rabbit 43740578 ORF1ab SARS-CoV-2 Recombinant protein encompassing a sequence within the center region of




Images

Western Blot: SARS-CoV-2 NSP10 Antibody [NBP3-13476] - Non-transfected (-) and transfected (+) 293T whole cell extracts (30 ug) were separated by 15% SDS-PAGE, and the membrane was blotted with SARS-CoV-2 (COVID-19) nsp10 antibody (NBP3-13476) diluted at 1:5000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.



Immunocytochemistry/Immunofluorescence: SARS-CoV-2 NSP10 Antibody [NBP3-13476] - SARS-CoV-2 (COVID-19) nsp10 antibody detects SARS-CoV-2 (COVID-19) nsp10 protein at cytoplasm by immunofluorescent analysis. Sample: Mock and transfected transfected 293T cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: SARS-CoV-2 (COVID-19) nsp10 stained by SARS-CoV-2 (COVID-19) nsp10 antibody (NBP3-13476) diluted at 1:2000.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-13476

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-13476

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

