# **Product Datasheet**

# CrkL Antibody (GT466) NBP3-13625

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-13625

Updated 3/8/2022 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-13625



# NBP3-13625

Crkl Antibody (GT466)


CrkL Antibody (G1466)	
Product Information	
Unit Size	100 ul
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	GT466
Preservative	No Preservative
Isotype	lgG2b
Purity	Protein A purified
Buffer	PBS
Product Description	
Host	Mouse
Gene ID	1399
Gene Symbol	CRKL
Species	Human
Reactivity Notes	Zebrafish (81%), Xenopus laevis (87%)
Immunogen	Recombinant protein encompassing a sequence within the center region of human CrkL. The exact sequence is proprietary.
Notes	Centrifuge briefly prior to opening.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin

<b>Product Application Details</b>	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin




### **Images**


Western Blot: CrkL Antibody (GT466) [NBP3-13625] - Various whole cell extracts (30 ug) were separated by 12% SDS-PAGE, and the membrane was blotted with CrkL antibody [GT466] (NBP3-13625) diluted at 1:5000. The HRP-conjugated anti-mouse IgG antibody (NBP2-19382) was used to detect the primary antibody.



Immunohistochemistry-Paraffin: CrkL Antibody (GT466) [NBP3-13625] - CrkL antibody [GT466] detects CrkL protein at cytoplasm by immunohistochemical analysis. Sample: Paraffin-embedded human colon cancer. CrkL stained by CrkL antibody [GT466] (NBP3-13625) diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



Immunohistochemistry-Paraffin: CrkL Antibody (GT466) [NBP3-13625] - CrkL antibody [GT466] detects CrkL protein at cytoplasm by immunohistochemical analysis. Sample: Paraffin-embedded human ovarian cancer. CrkL stained by CrkL antibody [GT466] (NBP3-13625) diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

# **Products Related to NBP3-13625**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP2-27231 Mouse IgG2b Isotype Control (MPC-11)
NBP1-50941-0.1mg Recombinant Human CrkL His Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-13625

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

