Product Datasheet

alpha-Fetoprotein/AFP Antibody (AFP/7007R) NBP3-13870-100ug

Unit Size: 100 ug

Store at 4C.

www.novusbio.com technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-13870

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-13870



NBP3-13870-100ug

alpha-Fetoprotein/AFP Antibody (AFP/7007R)


| Product Information | |
|-----------------------------|--|
| Unit Size | 100 ug |
| Concentration | 0.2 mg/ml |
| Storage | Store at 4C. |
| Clonality | Monoclonal |
| Clone | AFP/7007R |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG Kappa |
| Purity | Protein A or G purified |
| Buffer | 10 mM PBS with 0.05% BSA |
| Target Molecular Weight | 70 kDa |
| Product Description | |
| Description | 200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-14053) Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80 C. |
| Host | Rabbit |
| Gene ID | 174 |
| Gene Symbol | AFP |
| Species | Human |
| Marker | Hepatocellular/Germ Cell Tumor Marker |
| Specificity/Sensitivity | It recognizes an oncofetal glycoprotein with a single chain of 70kDa, which is identified as alpha fetoprotein (AFP). This monoclonal antibody is highly specific to AFP and shows no cross-reaction with other oncofetal antigens or serum albumin. The yolk sac and the liver produce AFP during fetal life. AFP expression in adults is often associated with hepatoma or teratoma. However, hereditary persistence of alpha-fetoprotein may also be found in individuals with no obvious pathology. The protein is thought to be the fetal counterpart of serum albumin, and the AFP and albumin genes are present in tandem in the same transcriptional orientation on chromosome 4. AFP is found in monomeric as well as dimeric and trimeric forms, and binds copper, nickel, fatty acids and bilirubin. The level of AFP in amniotic fluid is used to measure renal loss of protein to screen for spinal bifida and anencephaly. |
| Immunogen | Recombinant human full-length alpha-Fetoprotein/AFP protein (Uniprot: P02771) |
| Product Application Details | |
| Applications | Immunohistochemistry-Paraffin |
| Recommended Dilutions | Immunohistochemistry-Paraffin 1-2 ug/ml |
| Application Notes | Immunchistochomistry (Formalin fixed): 1 2ug/ml for 20 minutes at PT. Staining |

Application NotesImmunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining
of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM
EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes



Images

Immunohistochemistry-Paraffin: alpha-Fetoprotein/AFP Antibody (AFP/7007R) [NBP3-13870] - IHC analysis of formalin-fixed, paraffinembedded human placenta. Cytoplasmic staining using alpha-Fetoprotein/AFP antibody (AFP/7007R) at 2ug/ml in PBS for 30min RT. Inset: PBS instead of primary antibody, secondary only negative control.



www.novusbio.com



technical@novusbio.com



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-13870-100ug

| HAF008 | Goat anti-Rabbit IgG Secondary Antibody [HRP] |
|-------------------|---|
| NB7160 | Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP] |
| NBP2-52171-0.05mg | Recombinant Human alpha-Fetoprotein/AFP His Protein |
| 294-HG-005 | HGF [Unconjugated] |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-13870

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

