## **Product Datasheet**

# Nuclear Antigen Antibody (rNM106) NBP3-13909-100ug

Unit Size: 100 ug Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-13909

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-13909



# NBP3-13909-100ug


| Nuclear Antigen Antibody (rNM <sup>2</sup> | 106)  |
|--|---|
| Product Information                        |   |
| Unit Size                                  | 100 ug  |
| Concentration                              | 0.2 mg/ml   |
| Storage                                    | Store at 4C.  |
| Clonality                                  | Monoclonal  |
| Clone                                      | rNM106  |
| Preservative                               | 0.05% Sodium Azide  |
| Isotype                                    | IgG1 Kappa  |
| Purity                                     | Protein A or G purified   |
| Buffer                                     | 10 mM PBS with 0.05% BSA  |
| Product Description                        |   |
| Description                                | 200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-14097)  Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80 C.   |
| Host                                       | Mouse   |
| Species                                    | Human, Mouse, Rat   |
| Reactivity Notes                           | Does not react with Porcine.  |
| Marker                                     | Pan-Nuclear Marker  |
| Specificity/Sensitivity                    | This monoclonal antibody is an excellent marker for all nuclei in cells in tissues. It is a part of a new panel of reagents, which recognizes subcellular organelles or compartments of cells. These markers may be useful in identification of these organelles in cells, tissues, and biochemical preparations. This monoclonal antibody recognizes an antigen associated with the nuclei in all cells. It can be used to stain the nuclei in cell or tissue preparations and can be used as a nuclear marker in subcellular fractions. It produces a speckled pattern in normal and malignant cells and may be used to stain the nuclei of cells in fixed or frozen tissue sections. It can also be used with paraformaldehyde fixed frozen tissue or cell preparations. |
| Immunogen                                  | Nuclei of HL60 cells  |
| Product Application Details                |   |
| Applications                               | Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin  |
| Recommended Dilutions                      | Flow Cytometry 1-2 ug/million cells, Immunocytochemistry/ Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml   |
| Application Notes                          | Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes  |



EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes

## **Images**

Immunohistochemistry-Paraffin: Nuclear Antigen Antibody (rNM106) [NBP3-13909] - Formalin-fixed, paraffin-embeddedhuman tonsil stained with Nuclear Antigen antibody (rNM106).





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP3-13909-100ug

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-13909

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

