Product Datasheet

LEF1 Antibody (rLEF1/6906) - Azide and BSA Free NBP3-14130

Unit Size: 100 ug

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-14130

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-14130



NBP3-14130

LEF1 Antibody (rLEF1/6906) - Azide and BSA Free

C.HostMouseGene ID51176Gene SymbolLEF1SpeciesHumanSpecificity/SensitivityLymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to the transmission of the t		
Concentration 1 mg/ml Storage Store at -20 to -80C. Avoid freeze-thaw cycles. Clonality Monoclonal Clone rLEF1/6906 Preservative No Preservative Isotype IgG1 Kappa Purity Protein A or G purified Buffer 10mM PBS Target Molecular Weight 44 kDa Product Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-13994). Antibody with azide store at 2 to 8C. Antibody without azide - store at -20 to -8 C. Host Mouse Gene ID 51176 Gene Symbol LEF1 Species Human Species Human Species Human Species Human Species during Factor 1 (LEF1) is a transcription factor that belongs to t TCF/LEF family. LEF1 participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopolesis and is expressed normally in T a pro-8 cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphocytic leukemia/small lymphocytic	Product Information	
Storage Store at -20 to -80C. Avoid freeze-thaw cycles. Clonality Monoclonal Clone rLEF1/6906 Preservative No Preservative Isotype IgG1 Kappa Purity Protein A or G purified Buffer 10mM PBS Target Molecular Weight 44 kDa Product Description J.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-13994). Antibody with azide store at 2 to 8C. Antibody without azide - store at -20 to -8 C. Host Mouse Gene ID 51176 Gene Symbol LEF1 Species Human Specificity/Sensitivity Lymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to t TCF/LEF family. LEF1 participates as a regulator in Wm signaling pathways. LEF1 is an important factor in lymphopoiesis and is expressed normally in T a pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphocytic leukemia/small lymphocytic	Unit Size	100 ug
Clonality Monoclonal Clone rLEF1/6906 Preservative No Preservative Isotype IgG1 Kappa Purity Protein A or G purified Buffer 10mM PBS Target Molecular Weight 44 kDa Product Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-13994). Antibody with azide store at 2 to 8C. Antibody without azide - store at -20 to -8 C. Host Mouse Gene ID 51176 Gene Symbol LEF1 Species Human Specificity/Sensitivity Lymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to t TCF/LEF family. LEF1 participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopoitesis and is expressed normally in T a pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphopytic leukemia/smail lymphocytic	Concentration	1 mg/ml
Clone rLEF1/6906 Preservative No Preservative Isotype IgG1 Kappa Purity Protein A or G purified Buffer 10mM PBS Target Molecular Weight 44 kDa Product Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-13994). Antibody with azide store at 2 to 8C. Antibody without azide - store at -20 to -8 C. Host Mouse Gene ID 51176 Species Human Specificity/Sensitivity Lymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to the TCF/LEF family. LEF1 participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopoiesis and is expressed normally in T a pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphocytic leukemia/small lymphocytic	Storage	Store at -20 to -80C. Avoid freeze-thaw cycles.
Preservative No Preservative Isotype IgG1 Kappa Purity Protein A or G purified Buffer 10mM PBS Target Molecular Weight 44 kDa Product Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-13994). Antibody with azide store at 2 to 8C. Antibody without azide - store at -20 to -8 C. Host Mouse Gene ID 51176 Gene Symbol LEF1 Specificity/Sensitivity Lymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to the TCF/LEF family. LEF1 participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopoiesis and is expressed normally in T an pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphocytic leukemia/small lymphocytic	Clonality	Monoclonal
Isotype IgG1 Kappa Purity Protein A or G purified Buffer 10mM PBS Target Molecular Weight 44 kDa Product Description 44 kDa Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-13994). Antibody with azide store at 2 to 8C. Antibody without azide - store at -20 to -8 C. Host Mouse Gene ID 51176 Gene Symbol LEF1 Species Human Specificity/Sensitivity Lymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to the top of the store at pressed normally in T and pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphocytic leukemia/small lymphocytic	Clone	rLEF1/6906
Purity Protein A or G purified Buffer 10mM PBS Target Molecular Weight 44 kDa Product Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-13994). Antibody with azide store at 2 to 8C. Antibody without azide - store at -20 to -8 C. Host Mouse Gene ID 51176 Species Human Specificity/Sensitivity Lymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to t TCF/LEF family. LEF1 participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopoiesis and is expressed normally in T a pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphocytic leukemia/small lymphocytic	Preservative	No Preservative
Buffer 10mM PBS Target Molecular Weight 44 kDa Product Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-13994). Antibody with azide store at 2 to 8C. Antibody without azide - store at -20 to -8 C. Host Mouse Gene ID 51176 Species Human Specificity/Sensitivity Lymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to t TCF/LEF family. LEF1 participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopoiesis and is expressed normally in T an pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphocytic leukemia/small lymphocytic	Isotype	IgG1 Kappa
Target Molecular Weight44 kDaProduct Description1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-13994). Antibody with azide store at 2 to 8C. Antibody without azide - store at -20 to -8 C.HostMouseGene ID51176Gene SymbolLEF1SpeciesHumanSpeciesLymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to the total participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopoiesis and is expressed normally in T at pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphocytic leukemia/small lymphocytic	Purity	Protein A or G purified
Product Description Description 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-13994). Antibody with azide store at 2 to 8C. Antibody without azide - store at -20 to -8 C. Host Mouse Gene ID 51176 Gene Symbol LEF1 Species Human Specificity/Sensitivity Lymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to the TCF/LEF family. LEF1 participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopoiesis and is expressed normally in T and arise for differentiation of chronic lymphocytic leukemia/small lymphocytic	Buffer	10mM PBS
Description1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-13994). Antibody with azide store at 2 to 8C. Antibody without azide - store at -20 to -8 C.HostMouseGene ID51176Gene SymbolLEF1SpeciesHumanSpecificity/SensitivityLymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to t TCF/LEF family. LEF1 participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopoiesis and is expressed normally in T a pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphocytic leukemia/small lymphocytic	Target Molecular Weight	44 kDa
Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-13994).Antibody with azide store at 2 to 8C. Antibody without azide - store at -20 to -8 C.HostMouseGene ID51176Gene SymbolLEF1SpeciesHumanSpecificity/SensitivityLymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to t TCF/LEF family. LEF1 participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopoiesis and is expressed normally in T al pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphocytic leukemia/small lymphocytic	Product Description	
HostMouseGene ID51176Gene SymbolLEF1SpeciesHumanSpecificity/SensitivityLymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to the TCF/LEF family. LEF1 participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopoiesis and is expressed normally in T and pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphocytic leukemia/small lymphocytic	Description	Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml
Gene ID51176Gene SymbolLEF1SpeciesHumanSpecificity/SensitivityLymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to the TCF/LEF family. LEF1 participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopoiesis and is expressed normally in T and pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphocytic leukemia/small lymphocytic		
Gene SymbolLEF1SpeciesHumanSpecificity/SensitivityLymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to the total transcription factor transcription factor transcription factor transcription factor transcr		
Species Human Specificity/Sensitivity Lymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to the TCF/LEF family. LEF1 participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopoiesis and is expressed normally in T and pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphocytic leukemia/small lymphocytic		
Specificity/Sensitivity Lymphoid Enhancing Factor 1 (LEF1) is a transcription factor that belongs to the TCF/LEF family. LEF1 participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopoiesis and is expressed normally in T and pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphocytic leukemia/small lymphocytic	-	
TCF/LEF family. LEF1 participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopoiesis and is expressed normally in T al pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an aid for differentiation of chronic lymphocytic leukemia/small lymphocytic	•	
Tymphonia non other small b cell tymphonias.	Specificity/Sensitivity	TCF/LEF family. LEF1 participates as a regulator in Wnt signaling pathways. LEF1 is an important factor in lymphopoiesis and is expressed normally in T and pro-B cells but not expressed in mature B cells. Anti-LEF1 may be used as an
ImmunogenRecombinant fragment (around aa100-200) of human LEF1 protein (exact sequence is proprietary) (Uniprot: Q9UJU2)	Immunogen	
Product Application Details	Product Application Details	
Applications Immunohistochemistry-Paraffin	Applications	Immunohistochemistry-Paraffin
Recommended Dilutions Immunohistochemistry-Paraffin 1-2 ug/ml	Recommended Dilutions	Immunohistochemistry-Paraffin 1-2 ug/ml
	Application Notes	Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-14130

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)
H00051176-P01-10ug	Recombinant Human LEF1 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-14130

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

