Product Datasheet

OCT4 Antibody (OCT4/6875R) [Alexa Fluor® 700] NBP3-14148AF700

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-14148AF700

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-14148AF700



NBP3-14148AF700

OCT4 Antibody (OCT4/6875R) [Alexa Fluor® 700]

Product InformationUnit Size0.1 mlConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C in the dark.ClonalityMonoclonalCloneOCT4/6875RPreservative0.05% Sodium AzideIsotypeIgG KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct Description5460Gene ID5460Gene SymbolPOU5F1SpeciesHumanReactivity Notes0MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells; its expression is potentially correlated with tumorigenesis and can affect tumor recurrence or resistance to CF4 is a key regulator of self-enewal in undifferentiated pluripotenct pluripoten (around aa 1-134) (exact sequence is proprietary) (Uniprot: Q01860)	, C	-
ConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C in the dark.ClonalityMonoclonalCloneOCT4/6875RPreservative0.05% Sodium AzideIsotypeIgG KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitGene ID5460Gene SymbolPOU5F1SpeciesHumanReactivity Notes0MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in undifferentiated pluripotent cells, germ cells in ovary and testes. OCT4 Ab is uusful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Product Information	
services.StorageStore at 4C in the dark.ClonalityMonoclonalCloneOCT4/6875RPreservative0.05% Sodium AzideIsotypeIgG KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID5460Gene SymbolPOU5F1SpeciesHumanReactivity Notes0MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in arembryonic stem and germ cells.OCT4 is a key regulator of self-renewal in unifferentiated pluripotence or resistance to therapies. OCT4 ho is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Unit Size	0.1 ml
ClonalityMonoclonalCloneOCT4/6875RPreservative0.05% Sodium AzideIsotypeIgG KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID5460Gene SymbolPOU5F1SpeciesHumanReactivity Notes0MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in embryonic stem and germ cells, or sensation of the regulation of pluripotency during normal development and testes. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Concentration	
CloneOCT4/6875RPreservative0.05% Sodium AzideIsotypeIgG KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID5460Gene SymbolPOU5F1SpeciesHumanReactivity Notes0MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem cells; its expression is potentially correlated with tumorigenesis and can affect tumor recurrence or resistance to therapies. OCT4 is expressed in undifferentiated pluripotent cells, germ cells in ovary and testes. OCT4 A is is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Storage	Store at 4C in the dark.
Preservative0.05% Sodium AzideIsotypeIgG KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID5460Gene SymbolPOU5F1SpeciesHumanReactivity Notes0MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in undifferentiated pluripotent cells, germ cells in ovary and testes. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Clonality	Monoclonal
IsotypeIgG KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID5460Gene SymbolPOU5F1SpeciesHumanReactivity Notes0MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem cells; its expression is potentially correlated with tumorigenesis and can affect tumor recurrence or resistance to therapies. OCT4 is expressed in undifferentiated pluripotent cells, germ cells in ovary and testes. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Clone	OCT4/6875R
ConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID5460Gene SymbolPOU5F1SpeciesHumanReactivity Notes0MarkerGern Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in undifferentiated pluripotent cells, germ cells in ovary and testes. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Preservative	0.05% Sodium Azide
PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID5460Gene SymbolPOU5F1SpeciesHumanReactivity Notes0MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in embryonic stem cells; its expression is potentially correlated with tumorigenesis and can affect tumor recurrence or resistance to therapies. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Isotype	IgG Kappa
Buffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID5460Gene SymbolPOU5F1SpeciesHumanReactivity Notes0MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem cells; its expression is potentially correlated with tumorigenesis and can affect tumor recurrence or resistance to therapies. OCT4 is expressed in undifferentiated pluripotent cells, germ cells in ovary and testes. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Conjugate	Alexa Fluor 700
Product DescriptionHostRabbitGene ID5460Gene SymbolPOU5F1SpeciesHumanReactivity Notes0MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in embryonic stem cells; its expression is potentially correlated with tumorigenesis and can affect tumor recurrence or resistance to therapies. OCT4 is expressed in undifferentiated pluripotent cells, germ cells in ovary and testes. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Purity	Protein A or G purified
HostRabbitGene ID5460Gene SymbolPOU5F1SpeciesHumanReactivity Notes0MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in embryonic stem cells; its expression is potentially correlated with tumorigenesis and can affect tumor recurrence or resistance to therapies. OCT4 is expressed in undifferentiated pluripotent cells, germ cells in ovary and testes. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Buffer	50mM Sodium Borate
Gene ID5460Gene SymbolPOU5F1SpeciesHumanReactivity Notes0MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in embryonic stem cells; its expression is potentially correlated with tumorigenesis and can affect tumor recurrence or resistance to therapies. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Product Description	
Gene SymbolPOU5F1SpeciesHumanReactivity Notes0MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in embryonic stem cells; its expression is potentially correlated with tumorigenesis and can affect tumor recurrence or resistance to therapies. OCT4 is expressed in undifferentiated pluripotent cells, germ cells in ovary and testes. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Host	Rabbit
SpeciesHumanReactivity Notes0MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in embryonic stem cells; its expression is potentially correlated with tumorigenesis and can affect tumor recurrence or resistance to therapies. OCT4 is expressed in undifferentiated pluripotent cells, germ cells in ovary and testes. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Gene ID	5460
Reactivity Notes0MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in embryonic stem cells; its expression is potentially correlated with tumorigenesis and can affect tumor recurrence or resistance to therapies. OCT4 is expressed in undifferentiated pluripotent cells, germ cells in ovary and testes. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Gene Symbol	POU5F1
MarkerGerm Cell Tumor MarkerSpecificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in embryonic stem cells; its expression is potentially correlated with tumorigenesis and can affect tumor recurrence or resistance to therapies. OCT4 is expressed in undifferentiated pluripotent cells, germ cells in ovary and testes. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Species	Human
Specificity/SensitivityOCT4 is a member of the POU family of transcription factors, involved in the regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in embryonic stem cells; its expression is potentially correlated with tumorigenesis and can affect tumor recurrence or resistance to therapies. OCT4 is expressed in undifferentiated pluripotent cells, germ cells in ovary and testes. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Reactivity Notes	0
regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in embryonic stem cells; its expression is potentially correlated with tumorigenesis and can affect tumor recurrence or resistance to therapies. OCT4 is expressed in undifferentiated pluripotent cells, germ cells in ovary and testes. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.ImmunogenRecombinant fragment of human OCT4 protein (around aa 1-134) (exact	Marker	Germ Cell Tumor Marker
	Specificity/Sensitivity	regulation of pluripotency during normal development and is detectable in embryonic stem and germ cells.OCT4 is a key regulator of self-renewal in embryonic stem cells; its expression is potentially correlated with tumorigenesis and can affect tumor recurrence or resistance to therapies. OCT4 is expressed in undifferentiated pluripotent cells, germ cells in ovary and testes. OCT4 Ab is useful in the identification of primary as well as metastatic germ cell tumors.
	Immunogen	



	Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.
Product Application Details	
Applications	Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry-Paraffin
Application Notes	Optimal dilution of this antibody should be experimentally determined.

Notes





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: technical@novusbio.com Orders: orders@novusbio.com General: novus@novusbio.com

Products Related to NBP3-14148AF700

NB100-2379PEP	OCT4 Antibody Blocking Peptide
233-FB-025	FGF basic/FGF2/bFGF [Unconjugated]
H00005460-P01-10ug	Recombinant Human OCT4 GST (N-Term) Protein
AF1997	Nanog Antibody [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-14148AF700

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

