## **Product Datasheet**

### SOX11 Antibody (SOX11/7236) [Alexa Fluor® 350] NBP3-14182AF350

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-14182AF350

Updated 10/26/2023 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-14182AF350



#### NBP3-14182AF350

SOX11 Antibody (SOX11/7236) [Alexa Fluor® 350]

Product Information           Unit Size         0.1 ml           Concentration         Please see the vial label for concentration. If unlisted please contact technical services.           Storage         Store at 4C in the dark.           Clonality         Monoclonal           Clone         SOX11/7236           Preservative         0.05% Sodium Azide           Isotype         IgG1 Kappa           Conjugate         Alexa Fluor 350           Purity         Protein A or G purified           Buffer         50mM Sodium Borate           Product Description         6664           Gene ID         6664           Gene Symbol         SOX11           Species         Human           Reactivity Notes         0           Marker         Mantle Cell Lymphoma Marker           Specificity/Sensitivity         Recognizes a protein of -47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressicy clicical does not cross-react with other tenteral bay overexpression of CyClin D1 expression and may be misdiagnosed. Almost all Cyclin D1 expression and may be misdiagnosed. Almost all Cyclin D1 expression and may be misdiagnosed. Almost all Cyclin D1-negative MCL. However, approximately 5%-10% of MCLsplace Cyclin D1-negative MCL. <t< th=""><th>,</th><th>-</th></t<>	,	-
Concentration         Please see the vial label for concentration. If unlisted please contact technical services.           Storage         Store at 4C in the dark.           Clonality         Monoclonal           Clone         SOX11/7236           Preservative         0.05% Sodium Azide           Isotype         IgG1 Kappa           Conjugate         Alexa Fluor 350           Purity         Protein A or G purified           Buffer         50mM Sodium Borate           Product Description         Mouse           Host         Mouse           Gene ID         6664           Gene Symbol         SOX11           Species         Human           Reactivity Notes         0           Marker         Mantle Cell Lymphoma Marker           Specificity/Sensitivity         Recognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell meoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1 oregative MCL, However, approximately 5%-10% of MCLs lack Cyclin D1 negative MCL.           Hommunogen         Recombinant fragment (around aa50-200) of human SOX11 protein (exact	Product Information	
services.         Storage       Store at 4C in the dark.         Clonality       Monoclonal         Clone       SOX11/7236         Preservative       0.05% Sodium Azide         Isotype       IgG1 Kappa         Conjugate       Alexa Fluor 350         Purity       Protein A or G purified         Buffer       50MM Sodium Borate         Product Description       Host         Host       Mouse         Gene ID       6664         Gene Symbol       SOX11         Species       Human         Reactivity Notes       0         Marker       Mantle Cell Lymphoma Marker         Specificity/Sensitivity       Recognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. Cyclin D1 overexpression is the hallmark of MCL. However, approximately 5%-10% of MCLs lack Cyclin D1 expetive MCL, show overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1 expetive as well as Cyclin D1 expetive MCL.	Unit Size	0.1 ml
ClonalityMonoclonalCloneSOX11/7236Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateAlexa Fluor 350PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct Description6664Gene ID6664Gene SymbolSOX11SpeciesHumanReactivity Notes0MarkerMantle Cell Lymphoma MarkerSpecificity/SensitivityRecognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. Cyclin D1 oversyston and may be misdiagnosed. Almost all Cyclin D1-positive as well as Cyclin D1-negative MCL, show overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1-negative MCL.ImmunogenRecombinant fragment (around aa50-200) of human SOX11 protein (exact	Concentration	·
CloneSOX11/7236Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateAlexa Fluor 350PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct Description6664Gene ID6664Gene SymbolSOX11SpeciesHumanReactivity Notes0MarkerMantle Cell Lymphoma MarkerSpecificity/SensitivityRecognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1-negative MCL.ImmunogenRecombinant fragment (around aa50-200) of human SOX11 protein (exact	Storage	Store at 4C in the dark.
Preservative       0.05% Sodium Azide         Isotype       IgG1 Kappa         Conjugate       Alexa Fluor 350         Purity       Protein A or G purified         Buffer       50mM Sodium Borate         Product Description       Mouse         Gene ID       6664         Gene Symbol       SOX11         Species       Human         Reactivity Notes       0         Marker       Mantle Cell Lymphoma Marker         Specificity/Sensitivity       Recognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1 overexpression and may be misdiagnosed. Almost all Cyclin D1-positive as well as Cyclin D1-negative MCL. However, approximately 5%-10% of MCLs lack Cyclin D1 expression and may be misdiagnosed. Almost all Cyclin D1-positive as well as Cyclin D1-negative MCL.         Immunogen       Recombinant fragment (around aa50-200) of human SOX11 protein (exact	Clonality	Monoclonal
Isotype       IgG1 Kappa         Conjugate       Alexa Fluor 350         Purity       Protein A or G purified         Buffer       50mM Sodium Borate         Product Description          Host       Mouse         Gene ID       6664         Gene Symbol       SOX11         Species       Human         Reactivity Notes       0         Marker       Mantle Cell Lymphoma Marker         Specificity/Sensitivity       Recognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. cyclin D1 overexpression and may be misdiagnosed. Almost all Cyclin D1-positive as well as Cyclin D1-negative MCL. However, approximately 5%-10% of MCLs lack Cyclin D1-negative MCL.         Immunogen       Recombinant fragment (around aa50-200) of human SOX11 protein (exact	Clone	SOX11/7236
ConjugateAlexa Fluor 350PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID6664Gene SymbolSOX11SpeciesHumanReactivity Notes0MarkerMantle Cell Lymphoma MarkerSpecificity/SensitivityRecognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. cyclin D1 overexpression is the hallmark of MCL. However, approximately 5%-10% of MCLs lack Cyclin D1 expression and may be misdiagnosed. Almost all Cyclin D1-positive as well as Cyclin D1-negative MCL, show overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1-negative MCL.ImmunogenRecombinant fragment (around aa50-200) of human SOX11 protein (exact	Preservative	0.05% Sodium Azide
Purity       Protein A or G purified         Buffer       50mM Sodium Borate         Product Description       Mouse         Gene ID       6664         Gene Symbol       SOX11         Species       Human         Reactivity Notes       0         Marker       Mantle Cell Lymphoma Marker         Specificity/Sensitivity       Recognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. Cyclin D1 overexpression is the hallmark of MCL. However, approximately 5%-10% of MCLs lack Cyclin D1-negative MCL, show overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1-negative MCL.         Immunogen       Recombinant fragment (around aa50-200) of human SOX11 protein (exact	Isotype	IgG1 Kappa
Buffer       50mM Sodium Borate         Product Description       Host         Host       Mouse         Gene ID       6664         Gene Symbol       SOX11         Species       Human         Reactivity Notes       0         Marker       Mantle Cell Lymphoma Marker         Specificity/Sensitivity       Recognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. cyclin D1 overexpression is the hallmark of MCL. However, approximately 5%-10% of MCLs lack Cyclin D1 expression and may be misdiagnosed. Almost all Cyclin D1-positive as well as Cyclin D1-negative MCL, show overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1-negative MCL.         Immunogen       Recombinant fragment (around aa50-200) of human SOX11 protein (exact	Conjugate	Alexa Fluor 350
Product DescriptionHostMouseGene ID6664Gene SymbolSOX11SpeciesHumanReactivity Notes0MarkerMantle Cell Lymphoma MarkerSpecificity/SensitivityRecognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. cyclin D1 overexpression is the hallmark of MCL. However, approximately 5%-10% of MCLs lack Cyclin D1 expression and may be misdiagnosed. Almost all Cyclin D1-positive as well as Cyclin D1-negative MCL, show overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1-negative MCL.ImmunogenRecombinant fragment (around aa50-200) of human SOX11 protein (exact	Purity	Protein A or G purified
HostMouseGene ID6664Gene SymbolSOX11SpeciesHumanReactivity Notes0MarkerMantle Cell Lymphoma MarkerSpecificity/SensitivityRecognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. Cyclin D1 overexpression and may be misdiagnosed. Almost all Cyclin D1-positive as well as Cyclin D1-negative MCL, show overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1-negative MCL.ImmunogenRecombinant fragment (around aa50-200) of human SOX11 protein (exact	Buffer	50mM Sodium Borate
Gene ID6664Gene SymbolSOX11SpeciesHumanReactivity Notes0MarkerMantle Cell Lymphoma MarkerSpecificity/SensitivityRecognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. Cyclin D1 overexpression is the hallmark of MCL. However, approximately 5%-10% of MCLs lack Cyclin D1-negative MCL, show overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1-negative MCL.ImmunogenRecombinant fragment (around aa50-200) of human SOX11 protein (exact	Product Description	
Gene SymbolSOX11SpeciesHumanReactivity Notes0MarkerMantle Cell Lymphoma MarkerSpecificity/SensitivityRecognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. Cyclin D1 overexpression is the hallmark of MCL. However, approximately 5%-10% of MCLs lack Cyclin D1-negative MCL, show overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1-negative MCL.ImmunogenRecombinant fragment (around aa50-200) of human SOX11 protein (exact	Host	Mouse
SpeciesHumanReactivity Notes0MarkerMantle Cell Lymphoma MarkerSpecificity/SensitivityRecognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. Cyclin D1 overexpression is the hallmark of MCL. However, approximately 5%-10% of MCLs lack Cyclin D1 expression and may be misdiagnosed. Almost all Cyclin D1-positive as well as Cyclin D1-negative MCL, show overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1-negative MCL.ImmunogenRecombinant fragment (around aa50-200) of human SOX11 protein (exact	Gene ID	6664
Reactivity Notes0MarkerMantle Cell Lymphoma MarkerSpecificity/SensitivityRecognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. Cyclin D1 overexpression is the hallmark of MCL. However, approximately 5%-10% of MCLs lack Cyclin D1 expression and may be misdiagnosed. Almost all Cyclin D1-positive as well as Cyclin D1-negative MCL, show overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1-negative MCL.ImmunogenRecombinant fragment (around aa50-200) of human SOX11 protein (exact	Gene Symbol	SOX11
MarkerMantle Cell Lymphoma MarkerSpecificity/SensitivityRecognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. Cyclin D1 overexpression is the hallmark of MCL. However, approximately 5%-10% of MCLs lack Cyclin D1 expression and may be misdiagnosed. Almost all Cyclin D1-positive as well as Cyclin D1-negative MCL, show overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1-negative MCL.ImmunogenRecombinant fragment (around aa50-200) of human SOX11 protein (exact	Species	Human
Specificity/SensitivityRecognizes a protein of ~47kDa, identified as SOX11. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. Cyclin D1 overexpression is the hallmark of MCL. However, approximately 5%-10% of MCLs lack Cyclin D1 expression and may be misdiagnosed. Almost all Cyclin D1-positive as well as Cyclin D1-negative MCL, show overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1-negative MCL.ImmunogenRecombinant fragment (around aa50-200) of human SOX11 protein (exact	Reactivity Notes	0
<ul> <li>is highly specific and does not cross-react with other members of the SOX-family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. Cyclin D1 overexpression is the hallmark of MCL. However, approximately 5%-10% of MCLs lack Cyclin D1 expression and may be misdiagnosed. Almost all Cyclin D1-positive as well as Cyclin D1-negative MCL, show overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1-negative MCL.</li> <li>Immunogen</li> </ul>	Marker	Mantle Cell Lymphoma Marker
	Specificity/Sensitivity	is highly specific and does not cross-react with other members of the SOX- family. Mantle cell lymphoma (MCL) accounts for 5% to 10% of mature B-cell neoplasms and is an aggressive disease genetically characterized by overexpression of Cyclin D1. Cyclin D1 overexpression is the hallmark of MCL. However, approximately 5%-10% of MCLs lack Cyclin D1 expression and may be misdiagnosed. Almost all Cyclin D1-positive as well as Cyclin D1-negative MCL, show overexpression of SOX-11. The detection of this transcription factor is a useful biomarker for identifying true cyclin D1-negative MCL.
	Immunogen	



	Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.
Product Application Details	
Applications	Immunohistochemistry-Paraffin
<b>Recommended Dilutions</b>	Immunohistochemistry-Paraffin
Application Notes	Optimal dilution of this antibody should be experimentally determined.

Notes





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 novus@novusbio.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: technical@novusbio.com Orders: orders@novusbio.com General: novus@novusbio.com

#### Products Related to NBP3-14182AF350

NBP1-85823PEPSOX11 Recombinant Protein AntigenH00006666-Q01-10ugRecombinant Human SOX22 GST (N-Term) ProteinNBL1-16345SOX11 Overexpression LysateAF2018SOX2 Antibody [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-14182AF350

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

