Product Datasheet

Slug Antibody (BLR139H) NBP3-14719

Unit Size: 100 ul

Store at 2 - 8 C / 1 year from date of receipt

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-14719

Updated 9/12/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-14719



NBP3-14719

Slug Antibody (BLR139H)


| Product Information | |
|---------------------|---|
| Unit Size | 100 ul |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 2 - 8 C / 1 year from date of receipt |
| Clonality | Monoclonal |
| Clone | BLR139H |
| Preservative | 0.09% Sodium Azide |
| Purity | >95% |
| Buffer | Borate Buffered Saline (BBS) pH 8.2 with 0.1% BSA and |
| Product Description | |
| | |

| Host | Rabbit |
|-------------|--------------------|
| Gene ID | 6591 |
| Gene Symbol | SNAI2 |
| Species | Human |
| Immunogen | between 75 and 125 |
| | |


| Product Application Details | |
|-----------------------------|--|
| Applications | Western Blot, Immunoprecipitation |
| Recommended Dilutions | Western Blot 1:1000, Immunoprecipitation 20 ul/1 mg lysate |

Images

Immunoprecipitation: Slug Antibody [NBP3-14719] - Whole cell lysate (1.0 mg per IP reaction; 20% of IP loaded) from MDA-MB-435 cells prepared using NETN lysis buffer. Antibodies: Rabbit antiSlug recombinant monoclonal antibody used for IP at 20 ul/mg lysate. Slug was also immunoprecipitated by rabbit anti-Slug antibody. For blotting immunoprecipitated SLUG, was used at 1:1000. Chemiluminescence with an exposure time of 30 seconds.



Western Blot-Slug Antibody (BLR139H)-NBP3-14719-Whole cell lysate (50 ug) from MCF-7, HeLa, HEK293T, MDAMB-435, Jurkat, MDA-MB-231, Hep-G2, and K-562 cells prepared using NETN lysis buffer. Antibody: Rabbit antiSlug recombinant monoclonal antibody [BLR139H] used at 1:1000. Secondary: HRP conjugated goat anti-rabbit lgG. Chemiluminescence with an exposure time of 3 seconds. Lower Panel: Rabbit anti-COPB2 antibody.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-14719

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-52081-0.1mg Recombinant Human Slug His Protein

236-EG-200 EGF [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-14719

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

