# **Product Datasheet**

## Muscle Phosphofructokinase/PFKM/PFK-1 Antibody (4Z7X1) NBP3-16242-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-16242

Updated 11/7/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP3-16242

### NBP3-16242-100ul

Muscle Phosphofructokinase/PFKM/PFK-1 Antibody (4Z7X1)


Data data 1	Lefamoral and
Product	Intormation
I I UUUUU	Information

Product information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	4Z7X1
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS, 0.05% BSA, 50% glycerol, pH7.3
Product Description	
Host	Rabbit
Gene ID	5213
Gene Symbol	PFKM
Species	Human, Mouse, Rat
Immunogen	A synthetic peptide corresponding to a sequence within amino acids 50-150 of human Fructose 6 Phosphate Kinase (P08237). FVHEGYQGLVDGGDHIKEATWESVSMMLQLGGTVIGSARCKDFREREGRLRA AYNLVKRGITNLCVIGGDGSLTGADTFRSEWSDLLSDLQKAGKITDEEA
Product Application Details	
Applications	Western Blot
<b>Recommended Dilutions</b>	Western Blot 1:500 - 1:1000



#### Images

Western Blot: Muscle Phosphofructokinase/PFKM/PFK-1 Antibody (4Z7X1) [NBP3-16242] - Western blot analysis of extracts of various cell lines, using Muscle Phosphofructokinase/PFKM/PFK-1 Rabbit mAb (NBP3-16242) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 1s.



Page 2 of 3 v.20.1 Updated 11/7/2023

Western Blot: Muscle Phosphofructokinase/PFKM/PFK-1 Antibody (4Z7X1) [NBP3-16242] - Western blot analysis of extracts of various cell lines, using Muscle Phosphofructokinase/PFKM/PFK-1 Rabbit mAb (NBP3-16242) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 10s.





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP3-16242-100ul

	Protein
NBP1-44494	Recombinant Human Muscle Phosphofructokinase/PFKM/PFK-1 His
NBP2-24891	Rabbit IgG Isotype Control
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-16242

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

