# **Product Datasheet**

# RENT1/UPF1/hUPF1 Antibody (5D5C4) NBP3-16544-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-16544

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-16544



#### NBP3-16544-100ul

RENT1/UPF1/hUPF1 Antibody (5D5C4)


| Product Information |  |  |
|---------------------|--|--|
| Unit Size           | 100 ul   |  |
| Concentration       | Please see the vial label for concentration. If unlisted please contact technical services.  |  |
| Storage             | Store at -20C. Avoid freeze-thaw cycles.   |  |
| Clonality           | Monoclonal   |  |
| Clone               | 5D5C4  |  |
| Preservative        | 0.02% Sodium Azide   |  |
| Isotype             | IgG  |  |
| Purity              | Affinity purified  |  |
| Buffer              | PBS (pH 7.3), 50% glycerol, 0.05% BSA  |  |
| Product Description |  |  |
| Description         | Novus Biologicals Rabbit RENT1/UPF1/hUPF1 Antibody (5D5C4) (NBP3-16544) is a recombinant monoclonal antibody validated for use in WB, ICC/IF and IP. All Novus Biologicals antibodies are covered by our 100% guarantee. |  |
| Host                | Rabbit   |  |

| Host                        | Rabbit  |
|-----------------------------|---|
| Gene ID                     | 5976  |
| Gene Symbol                 | UPF1  |
| Species                     | Human, Mouse, Rat   |
|                             | A synthetic peptide corresponding to a sequence within amino acids 1-100 of human RENT1/UPF1/hUPF1 (Q92900).  MSVEAYGPSSQTLTFLDTEEAELLGADTQGSEFEFTDFTLPSQTQTPPGGPGGPGGGGGGGGGGGGGAGAAAGQLDAQVGPEGILQNGAVDDSVAKTSQLL |
| Product Application Details |   |

| <b>Product Application Details</b> |   |
|------------------------------------|---|
| Applications                       | Western Blot, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation  |
|                                    | Western Blot 1:500 - 1:1000, Immunocytochemistry/ Immunofluorescence 1:50 - 1:200, Immunoprecipitation 1:500 - 1:1000 |


# **Images**

Western Blot: RENT1/UPF1/hUPF1 Antibody (5D5C4) [NBP3-16544] - Western blot analysis of extracts of various cell lines, using RENT1/UPF1/hUPF1 Rabbit mAb (NBP3-16544) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 10s.







Immunocytochemistry/Immunofluorescence: RENT1/UPF1/hUPF1 Antibody (5D5C4) [NBP3-16544] - Immunofluorescence analysis of C6 cells using RENT1/UPF1/hUPF1 Rabbit mAb (NBP3-16544) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.




Immunoprecipitation: RENT1/UPF1/hUPF1 Antibody (5D5C4) [NBP3-16544] - Immunoprecipitation analysis of 300ug extracts of HeLa cells using 3ug RENT1/UPF1/hUPF1 antibody (NBP3-16544). Western blot was performed from the immunoprecipitate using RENT1/UPF1/hUPF1 antibody (NBP3-16544) at a dilition of 1:1000.



Immunocytochemistry/ Immunofluorescence: RENT1/UPF1/hUPF1 Antibody (5D5C4) [NBP3-16544] - Confocal imaging of C6 cells using RENT1/UPF1/hUPF1 Rabbit mAb followed by a further incubation with Cy3 Goat Anti-Rabbit IgG (H+L). The cells were counterstained with alpha-Tubulin Mouse mAb followed by incubation with ABflo(R) 488-conjugated Goat Anti-Mouse IgG (H+L) Ab (Green). DAPI was used for nuclear staining (Blue). Objective: 100x.



Immunocytochemistry/ Immunofluorescence: RENT1/UPF1/hUPF1 Antibody (5D5C4) [RENT1/UPF1/hUPF1] - Confocal imaging of C6 cells using RENT1/UPF1/hUPF1 Rabbit mAb followed by a further incubation with Cy3 Goat Anti-Rabbit IgG (H+L) .The cells were counterstained with alpha-Tubulin Mouse mAb followed by incubation with ABflo 488-conjugated Goat Anti-Mouse IgG (H+L) Ab (Green).DAPI was used for nuclear staining (Blue). Objective: 100x.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# Products Related to NBP3-16544-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00005976-Q01-10ug Recombinant Human RENT1/UPF1/hUPF1 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-16544

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

