Product Datasheet

FKBP38 Antibody (2J7P6) NBP3-16684-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-16684

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-16684



NBP3-16684-100ul


FKBP38 Antibody (2J7P6)

FKBP38 Antibody (2J7P6)	
Product Information	
100 ul	
Please see the vial label for concentration. If unlisted please contact technical services.	
Store at -20C. Avoid freeze-thaw cycles.	
Monoclonal	
2J7P6	
0.02% Sodium Azide	
IgG	
Affinity purified	
PBS (pH 7.3), 50% glycerol, 0.05% BSA	
49 kDa	
Product Description	
Novus Biologicals Rabbit FKBP38 Antibody (2J7P6) (NBP3-16684) is a recombinant monoclonal antibody validated for use in WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Rabbit	
23770	
FKBP8	
Human, Mouse, Rat	
A synthetic peptide corresponding to a sequence within amino acids 1-100 of human FKBP38 (Q14318). MASCAEPSEPSAPLPAGVPPLEDFEVLDGVEDAEGEEEEEEEEEDDLSELP PLEDMGQPPAEEAEQPGALAREFLAAMEPEPAPAPAPEEWLDILGNG	
Product Application Details	
Western Blot, Immunocytochemistry/ Immunofluorescence	
Western Blot 1:500 - 1:2000, Immunocytochemistry/ Immunofluorescence 1:50 - 1:200	




Images


Western Blot: FKBP38 Antibody (2J7P6) [NBP3-16684] - Western blot analysis of extracts of various cell lines, using FKBP38 Rabbit mAb (NBP3-16684) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 10s.



Western Blot: FKBP38 Antibody (2J7P6) [NBP3-16684] - Western blot analysis of extracts of various cell lines, using FKBP38 Rabbit mAb (NBP3-16684) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 30s.



Immunocytochemistry/ Immunofluorescence: FKBP38 Antibody (2J7P6) [NBP3-16684] - Confocal imaging of NIH/3T3 cells using FKBP38 Rabbit mAb followed by a further incubation with Cy3 Goat Anti-Rabbit IgG (H+L). The cells were counterstained with alpha-Tubulin Mouse mAb followed by incubation with ABflo 488-conjugated Goat Anti-Mouse IgG (H+L) Ab (Green). DAPI was used for nuclear staining (Blue). Objective: 100x.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-16684-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00023770-P01-10ug Recombinant Human FKBP38 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-16684

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

