Product Datasheet

TrkA/B [p Tyr707, p Tyr675, p Tyr706, p Tyr674] Antibody Azide and BSA Free NBP3-16897-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-16897

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-16897



NBP3-16897-100ul

TrkA/B [p Tyr707, p Tyr675, p Tyr706, p Tyr674] Antibody - Azide and BSA Free

TIKAND [p Ty1707, p Ty1075, p Ty1074] Allibody - Azide alid BSA Flee	
Product Information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.01% Thimerosal
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.3), 50% glycerol
Product Description	
Description	Novus Biologicals Rabbit TrkA/B [p Tyr707, p Tyr675, p Tyr706, p Tyr674] Antibody - Azide and BSA Free (NBP3-16897) is a polyclonal antibody validated for use in WB. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	4914
Gene Symbol	NTRK1
Species	Human

Product Application Details	
Applications	Western Blot
Recommended Dilutions	Western Blot 1:100 - 1:500
Application Notes	Modifications: TrkA - p Tyr 674/675, TrkB - p Tyr 706/707


(NP_001012331.1). TDYYRV

A synthetic phosphorylated peptide around Y674 & Y675 of human TrkA/B

Images

Immunogen

Western Blot: TrkA/B [p Tyr707, p Tyr675, p Tyr706, p Tyr674] Antibody [NBP3-16897] - Western blot analysis of extracts of HeLa cells, using TrkA/B antibody (NBP3-16897) at 1:500 dilution.HeLa cells were treated by Pervanadate (1 nM) at 37C for 30 minutes after serum-starvation overnight. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 30s.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-16897-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

DBD00 BDNF [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-16897

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

