

# Product Datasheet

## PEX10 Antibody - BSA Free

### NBP3-18137

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP3-18137](http://www.novusbio.com/NBP3-18137)

Updated 9/9/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP3-18137](http://www.novusbio.com/reviews/destination/NBP3-18137)



**NBP3-18137**

PEX10 Antibody - BSA Free

**Product Information**

<b>Unit Size</b>	0.1 mg
<b>Concentration</b>	1 mg/ml
<b>Storage</b>	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
<b>Clonality</b>	Polyclonal
<b>Preservative</b>	0.02% Sodium Azide
<b>Isotype</b>	IgG
<b>Purity</b>	Peptide affinity purified
<b>Buffer</b>	PBS

**Product Description**


<b>Description</b>	Novus Biologicals Rabbit PEX10 Antibody - BSA Free (NBP3-18137) is a polyclonal antibody validated for use in IHC, WB, ELISA and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.
<b>Host</b>	Rabbit
<b>Gene ID</b>	5192
<b>Gene Symbol</b>	PEX10
<b>Species</b>	Human, Mouse, Rat
<b>Immunogen</b>	Antibody was raised against a peptide corresponding to 10 amino acids near the carboxyl terminus of human PEX10. The immunogen is located within last 50 amino acids of PEX10.

**Product Application Details**


<b>Applications</b>	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
<b>Recommended Dilutions</b>	Western Blot 4 ug/mL, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 20 ug/mL

**Images**


Western Blot: PEX10 Antibody - BSA Free [NBP3-18137] - WB  
 Validation in Rat Tissues. Loading: 15 ug of lysates per lane. Antibodies:  
 PEX10 NBP3-18137, 4 ug/mL, 1h incubation at RT in 5% NFDm/TBST.  
 Secondary: Goat anti-rabbit IgG HRP conjugate at 1:10,000 dilution.




Western Blot: PEX10 Antibody - BSA Free [NBP3-18137] - WB Validation in Human and Mouse Cell Lines. Loading: 15 ug of lysate Antibodies: PEX10 NBP3-18137, 4 ug/mL, 1 h incubation at RT in 5% NFDM/TBST. Secondary: Goat Anti-Rabbit IgG HRP conjugate at 1:10,000 dilution.




Western Blot: PEX10 Antibody - BSA Free [NBP3-18137] - WB Validation in Mouse Tissues. Loading: 15 ug of lysates per lane. Antibodies: PEX10 NBP3-18137, 4 ug/mL, 1h incubation at RT in 5% NFDM/TBST. Secondary: Goat anti-rabbit IgG HRP conjugate at 1:10,000 dilution.




Immunocytochemistry/ Immunofluorescence: PEX10 Antibody - BSA Free [NBP3-18137] - Figure 4 Immunofluorescence Validation of PEX10 in Human Daudi Cells Immunofluorescent analysis of 4% paraformaldehyde-fixed Daudi cells labeling PEX10 with at 20 u/mL, followed by goat anti-rabbit IgG secondary antibody at 1/500 dilution (green) and DAPI staining (blue).



Immunohistochemistry: PEX10 Antibody - BSA Free [NBP3-18137] - Immunofluorescent analysis of 4% paraformaldehyde-fixed rat testis labeling PEX10 with NBP3-18137 at 20 ug/mL, followed by goat anti-rabbit IgG secondary antibody at 1/500 dilution (green) and DAPI staining (blue).



Immunohistochemistry: PEX10 Antibody - BSA Free [NBP3-18137] - Figure 5 Immunofluorescence Validation of PEX10 in Human Spleen  
Immunofluorescent analysis of 4% paraformaldehyde-fixed human spleen labeling PEX10 with at 20 u/mL, followed by goat anti-rabbit IgG secondary antibody at 1/500 dilution (green) and DAPI staining (blue).





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP3-18137**

---

NBP3-18137PEP	PEX10 Antibody Blocking Peptide
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP3-18137](http://www.novusbio.com/reviews/submit/NBP3-18137)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

