Product Datasheet

TCR beta Antibody (H57-597) [mFluor Violet 450 SE] NBP3-20117MFV450

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-20117MFV450

Updated 9/20/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-20117MFV450



NBP3-20117MFV450

TCR beta Antibody (H57-597) [mFluor Violet 450 SE]

Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	H57-597
Preservative	0.05% Sodium Azide
Isotype	IgG Lambda
Conjugate	mFluor Violet 450 SE
Purity	Protein A purified
Buffer	50mM Sodium Borate
Product Description	
Host	Armenian Hamster
Gene ID	21577
Gene Symbol	Tcrb
Species	Mouse
Specificity/Sensitivity	mAb H57-597 reacts with surface receptors on all alpha-beta TCR bearing cells, but does not react with receptors on gamma-delta T cells.
Immunogen	Hamsters were immunised with affinity purified DO-11.10 TCR, and produced detectable anti-TCR antibodies which were judged by the ability of the anti-sera to immunoprecipitate TCR from surface labelled DO-11.10 T cell hybridomas.

Product Application Details	
Applications	Flow Cytometry, Immunohistochemistry, Immunoprecipitation
Recommended Dilutions	Flow Cytometry, Immunohistochemistry, Immunoprecipitation
Application Notes	Optimal dilution of this antibody should be experimentally determined.

radiolabelled murine T cell hybridomas.

Images

TCR beta Antibody (H57-597) [mFluor Violet 450 SE] [NBP3-20117MFV450] - Vial of mFluor Violet 450 conjugated antibody. mFluor Violet 450 is optimally excited at 406 nm by the Violet laser (405 nm) and has an emission maximum of 445 nm.





Hamster 57 was selected for hybridisation, and B cell hybridomas were produced

using polyethylene glycol fusion of hamster splenic B cells to the mouse myeloma variant. Selected mAb were screened after subsequent culturing for their ability to immunoprecipitate TCR from detergent lysates of surface-



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-20117MFV450

285-IF-100 IFN-gamma [Unconjugated]

202-IL-010 IL-2 [Unconjugated]

AF114 CD45 Antibody [Unconjugated]

NBP1-19371 CD4 Antibody - BSA Free

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-20117MFV450

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



