## **Product Datasheet**

# Cadherin-17 Antibody (CDH17/8513R) NBP3-20428-100ug

Unit Size: 100 ug

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-20428

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-20428



## NBP3-20428-100ug

Cadherin-17 Antibody (CDH17/8513R)


| Product Information |                             |
|---------------------|-----------------------------|
| Unit Size           | 100 ug                      |
| Concentration       | 0.2 mg/ml                   |
| Storage             | Store at 4C. Do not freeze. |
| Clonality           | Monoclonal                  |
| Clone               | CDH17/8513R                 |
| Preservative        | 0.05% Sodium Azide          |
| Isotype             | IgG Kappa                   |
| Purity              | Protein A purified          |
| Buffer              | 10mM PBS with 0.05% BSA     |
| Draduat Description |                             |

| Product Description |  |
|---------------------|--|
| Description         | Positive Controls: HepG2 or HT29 cells. Stomach, Small Intestine, Colon or liver Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Non-hazardous. No MSDS required. |
| Host                | Rabbit   |
| Gene ID             | 1015   |
| Gene Symbol         | CDH17  |
| Species             | Human  |
| Immunogen           | Recombinant fragment (around aa 242-418) of human Cadherin-17 protein (CDH17) (exact sequence is proprietary)  |

| <b>Product Application Details</b> |   |
|------------------------------------|---|
| Applications                       | Immunohistochemistry-Paraffin   |
| Recommended Dilutions              | Immunohistochemistry-Paraffin 1-2 ug/ml   |
| Application Notes                  | Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes. at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.  Optimal dilution for a specific application should be determined. |

## **Images**

Formalin-fixed, paraffin-embedded human colon stained with Cadherin-17 antibody (CDH17/8513R). Inset: PBS instead of primary antibody; secondary only negative control.







### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP3-20428-100ug

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP3-18199 Recombinant Human Cadherin-17 His (C-Term) Protein

236-EG-200 EGF [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-20428

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

