Product Datasheet

dsDNA Antibody (DSD/8204R) [FITC] NBP3-20860F

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-20860F

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-20860F



NBP3-20860F

dsDNA Antibody (DSD/8204R) [FITC]

Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	DSD/8204R
Preservative	0.05% Sodium Azide
Isotype	IgG Kappa
Conjugate	FITC
Purity	Protein A purified
Buffer	PBS
Product Description	
Product Description Host	Rabbit
	Rabbit Human
Host	
Host Species	Human This monoclonal antibody recognizes the double stranded DNA in human cells It can be used to stain the nuclei in cell or tissue preparations and can be used as a nuclear marker in human cells This monoclonal antibody produces a
Host Species Specificity/Sensitivity	Human This monoclonal antibody recognizes the double stranded DNA in human cells It can be used to stain the nuclei in cell or tissue preparations and can be used as a nuclear marker in human cells This monoclonal antibody produces a homogeneous staining pattern in the nucleus of normal and malignant cells
Host Species Specificity/Sensitivity Immunogen	Human This monoclonal antibody recognizes the double stranded DNA in human cells It can be used to stain the nuclei in cell or tissue preparations and can be used as a nuclear marker in human cells This monoclonal antibody produces a homogeneous staining pattern in the nucleus of normal and malignant cells
Host Species Specificity/Sensitivity Immunogen Product Application Details	Human This monoclonal antibody recognizes the double stranded DNA in human cells It can be used to stain the nuclei in cell or tissue preparations and can be used as a nuclear marker in human cells This monoclonal antibody produces a homogeneous staining pattern in the nucleus of normal and malignant cells Nuclei of Burkitt's cells





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: technical@novusbio.com Orders: orders@novusbio.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-20860F

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

