Product Datasheet

Glypican 3 Antibody (GPC3/8363R) - Azide and BSA Free NBP3-20871

Unit Size: 100 ug

Store at -20 to -70C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-20871

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-20871



NBP3-20871

Glypican 3 Antibody (GPC3/8363R) - Azide and BSA Free

| Gippical S Antibody (GPC5/0505R) - Azide and BSA Free | |
|---|--|
| Product Information | |
| Unit Size | 100 ug |
| Concentration | 1 mg/ml |
| Storage | Store at -20 to -70C. Avoid freeze-thaw cycles. |
| Clonality | Monoclonal |
| Clone | GPC3/8363R |
| Preservative | No Preservative |
| Isotype | IgG Kappa |
| Purity | Protein A purified |
| Buffer | 10mM PBS |
| Product Description | |
| Description | Positive Controls: Human placenta or hepatocellular carcinoma. Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Non-hazardous. No MSDS required. |
| Host | Rabbit |
| Gene ID | 2719 |
| Gene Symbol | GPC3 |
| Species | Human |
| Immunogen | Recombinant fragment (around aa400-550) of human Glypican 3 protein (exact sequence is proprietary) |
| Product Application Details | |
| Applications | Immunohistochemistry-Paraffin |
| Recommended Dilutions | Immunohistochemistry-Paraffin 1-2 ug/ml |
| Application Notes | Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes. at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined. |
| Images | |
| Formalin-fixed, paraffin-embedded human placenta stained with | |

Formalin-fixed, paraffin-embedded human placenta stained with Glypican 3 antibody (GPC3/8363R). Inset: PBS instead of primary antibody; secondary only negative control.

×





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-20871

| 233-FB-025 | FGF basic/FGF2/bFGF [Unconjugated] |
|---------------|---|
| NBP1-85226PEP | Glypican 3 Recombinant Protein Antigen |
| NB7160 | Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP] |
| HAF008 | Goat anti-Rabbit IgG Secondary Antibody [HRP] |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-20871

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

