Product Datasheet

PD-1 Antibody (PDCD1/4231R) - Azide and BSA Free NBP3-20955

Unit Size: 100 ug

Store at -20 to -70C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-20955

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-20955



NBP3-20955

PD-1 Antibody (PDCD1/4231R) - Azide and BSA Free

100 ug 1 mg/ml Store at -20 to -70C. Avoid freeze-thaw cycles.		
1 mg/ml		
5		
Store at -20 to -70C Avoid freeze-thaw cycles		
Store at -20 to -700. Avoid meeze-thaw cycles.		
Vonoclonal		
PDCD1/4231R		
No Preservative		
gG Kappa		
Protein A or G purified		
10mM PBS		
Product Description		
Positive Controls: Human tonsil, lymph node or appendix. Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to ·80C. Non-hazardous. No MSDS required.		
Rabbit		
5133		
PDCD1		
Human		
Recombinant fragment corresponding to extracellular domain of human PD-1 protein (exact sequence is proprietary)		
ELISA, Immunohistochemistry-Paraffin		
ELISA, Immunohistochemistry-Paraffin 1-2 ug/ml		
ELISA: For coating, order antibody without BSA mmunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes. at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.		



Images

Formalin-fixed, paraffin-embedded human lymph node stained with PD1 (CD279) Recombinant Rabbit Monoclonal Antibody (PDCD1/4231R). HIER: Tris/EDTA, pH9.0, 45min. 2: HRP-polymer, 30min. DAB, 5min.

Formalin-fixed, paraffin-embedded human tonsil stained with PD1 (CD279) Recombinant Rabbit Monoclonal Antibody (PDCD1/4231R). Inset: PBS instead of primary antibody; secondary only negative control.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-20955

210-TA-005	TNF-alpha [Unconjugated]
NBP1-77276PEP	PD-1 Antibody Blocking Peptide
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-20955

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

