Product Datasheet Ki67/MKI67 Antibody (MKI67/8315R)

Unit Size: 100 ug

NBP3-23770-100ug

Store at 4C.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-23770

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-23770



NBP3-23770-100ug

Ki67/MKI67 Antibody (MKI67/8315R)

Product InformationUnit Size100 ugConcentration0.2 mg/mlStorageStore at 4C.ClonalityMonoclonalCloneMKI67/8315RPreservative0.05% Sodium AzideIsotypeIgG KappaPurityProtein A or G purifiedBuffer10mM PBS with 0.05% BSAProduct DescriptionStore at 2 to 8C. Non-hazardous. No MSDS required.HostRabbitGene ID4288Gene SymbolMKI67SpeciesHumanMarkerProliferating Cell MarkerImmunogenRecombinant full-length human Ki67/MKI67 protein			
Concentration0.2 mg/mlStorageStore at 4C.ClonalityMonoclonalCloneMKI67/8315RPreservative0.05% Sodium AzideIsotypeIgG KappaPurityProtein A or G purifiedBuffer10mM PBS with 0.05% BSAProduct DescriptionStore at 2 to 8C. Non-hazardous. No MSDS required.HostRabbitGene ID4288Gene SymbolMKI67SpeciesHumanMarkerProliferating Cell Marker			
StorageStore at 4C.ClonalityMonoclonalCloneMKI67/8315RPreservative0.05% Sodium AzideIsotypeIgG KappaPurityProtein A or G purifiedBuffer10mM PBS with 0.05% BSAProduct DescriptionStore at 2 to 8C. Non-hazardous. No MSDS required.HostRabbitGene ID4288Gene SymbolMKI67SpeciesHumanMarkerProliferating Cell Marker			
ClonalityMonoclonalCloneMKI67/8315RPreservative0.05% Sodium AzideIsotypeIgG KappaPurityProtein A or G purifiedBuffer10mM PBS with 0.05% BSAProduct DescriptionStore at 2 to 8C. Non-hazardous. No MSDS required.HostRabbitGene ID4288Gene SymbolMKI67SpeciesHumanMarkerProliferating Cell Marker			
CloneMKI67/8315RPreservative0.05% Sodium AzideIsotypeIgG KappaPurityProtein A or G purifiedBuffer10mM PBS with 0.05% BSAProduct DescriptionStore at 2 to 8C. Non-hazardous. No MSDS required.HostRabbitGene ID4288Gene SymbolMKI67MarkerProiferating Cell Marker			
Preservative0.05% Sodium AzideIsotypeIgG KappaPurityProtein A or G purifiedBuffer10mM PBS with 0.05% BSAProduct DescriptionStore at 2 to 8C. Non-hazardous. No MSDS required.DescriptionStore at 2 to 8C. Non-hazardous. No MSDS required.HostRabbitGene ID4288Gene SymbolMKI67SpeciesHumanMarkerProliferating Cell Marker			
IsotronameIsotronameIsotronameIgG KappaPurityProtein A or G purifiedBuffer10mM PBS with 0.05% BSAProduct DescriptionStore at 2 to 8C. Non-hazardous. No MSDS required.DescriptionStore at 2 to 8C. Non-hazardous. No MSDS required.HostRabbitGene ID4288Gene SymbolMKI67SpeciesHumanMarkerProliferating Cell Marker			
PurityProtein A or G purifiedBuffer10mM PBS with 0.05% BSAProduct DescriptionStore at 2 to 8C. Non-hazardous. No MSDS required.DescriptionStore at 2 to 8C. Non-hazardous. No MSDS required.HostRabbitGene ID4288Gene SymbolMKI67SpeciesHumanMarkerProliferating Cell Marker			
Buffer10mM PBS with 0.05% BSAProduct DescriptionStore at 2 to 8C. Non-hazardous. No MSDS required.DescriptionStore at 2 to 8C. Non-hazardous. No MSDS required.HostRabbitGene ID4288Gene SymbolMKI67SpeciesHumanMarkerProliferating Cell Marker			
Product DescriptionDescriptionStore at 2 to 8C. Non-hazardous. No MSDS required.HostRabbitGene ID4288Gene SymbolMKI67SpeciesHumanMarkerProliferating Cell Marker			
DescriptionStore at 2 to 8C. Non-hazardous. No MSDS required.HostRabbitGene ID4288Gene SymbolMKI67SpeciesHumanMarkerProliferating Cell Marker			
HostRabbitGene ID4288Gene SymbolMKI67SpeciesHumanMarkerProliferating Cell Marker	Product Description		
Gene ID4288Gene SymbolMKI67SpeciesHumanMarkerProliferating Cell Marker			
Gene Symbol MKI67 Species Human Marker Proliferating Cell Marker			
Species Human Marker Proliferating Cell Marker			
Marker Proliferating Cell Marker			
Immunogen Becombinant full-length human Ki67/MKI67 protein			
Recombinant full-length haman Kio//Mikto/ protein			
Product Application Details			
Applications Immunohistochemistry-Paraffin			
Recommended Dilutions Immunohistochemistry-Paraffin 1-2ug/ml			
Application NotesImmunohistochemistry-Paraffin: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1m EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.	M		





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-23770-100ug

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NB110-89717PEP	Ki67/MKI67 Antibody Blocking Peptide
210-TA-005	TNF-alpha [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-23770

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

