## **Product Datasheet**

### Androgen R/NR3C4 Antibody (rDHTR/8818) NBP3-23812-100ug

Unit Size: 100 ug

Store at 4C.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-23812

Updated 7/16/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-23812



#### NBP3-23812-100ug


Androgen R/NR3C4 Antibody (rDHTR/8818)

| Product Information          |   |
|------------------------------|---|
| Unit Size                    | 100 ug  |
| Concentration                | 0.2 mg/ml   |
| Storage                      | Store at 4C.  |
| Clonality                    | Monoclonal  |
| Clone                        | rDHTR/8818  |
| Preservative                 | 0.05% Sodium Azide  |
| Isotype                      | IgG Kappa   |
| Purity                       | Protein A or G purified   |
| Buffer                       | 1mM PBS with 0.05% BSA  |
| Product Description          |   |
| Description                  | Store at 2 to 8C. Non-hazardous. No MSDS required.                        |
| Host                         | Mouse   |
| Gene ID                      | 367   |
| Gene Symbol                  | AR  |
| Species                      | Human   |
| Marker                       | Marker of Androgen Dependence   |
| Immunogen                    | Recombinant full-length human Androgen R/NR3C4 protein                    |
| Product Application Details  |   |
| Applications                 | Immunohistochemistry-Paraffin   |
| <b>Recommended Dilutions</b> | Immunohistochemistry-Paraffin 1-2ug/ml                                    |
| Application Notes            | Immunohistochemistry-Paraffin: 1-2ug/ml for 30 minutes at RT. Staining of |

Immunohistochemistry-Paraffin: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.

#### Images

Formalin-fixed, paraffin-embedded human prostate carcinoma stained with Androgen R/NR3C4 antibody (rDHTR/8818). HIER: Tris/EDTA, pH9.0, 45min. Secondary: HRP-polymer, 30min. DAB, 5min.







#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP3-23812-100ug

| HAF007             | Goat anti-Mouse IgG Secondary Antibody [HRP]            |
|--------------------|---|
| NB720-B            | Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin] |
| H00000367-Q01-10ug | Recombinant Human Androgen R/NR3C4 GST (N-Term) Protein |
| 236-EG-200         | EGF [Unconjugated]                                      |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-23812

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

